

СПИСОК НАУЧНЫХ ТРУДОВ Лохтина И.П.

| NN п/п | Наименование трудов | Рук. или печ. | Название издательства, журнала (номер, год) | Кол. стр. | Фамилии соавторов работ |
|-----------|---|---------------------|---|--------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 1 | Effective number of inelastically interacting nucleons in rare nucleus-nucleus production processes. | печ. | Preprint NPI MSU 92-35/284, Moscow, 1992 | 19 | Korotkikh V.L. |
| 2 | Эффективное число неупруго взаимодействующих нуклонов в редких ядро-ядерных процессах рождения. | печ. | Ядерная физика, т.56, вып.8, 1993, с.204-215 | 12 | Коротких В.Л. |
| 3 | High- p_T particles production and $\mu^+\mu^-$ -pair mass spectra in Υ -resonance region in Pb-Pb collisions at LHC energies $\sqrt{s} = 6.3A$ TeV. | печ. | Preprint NPI MSU 94-29/351, Moscow, 1994 | 17 | Galkin V.I., Korotkikh V.L., Sarycheva L.I. |
| 4 | The properties of jets produced in nucleus-nucleus interactions at LHC energies $\sqrt{s} = 6.3A$ TeV. | печ. | Preprint NPI MSU 94-30/352, Moscow, 1994 | 14 | Korotkikh V.L., Kruglov N.A., Sarycheva L.I. |
| 5 | The Compact Muon Solenoid: Technical Proposal | печ. | CERN, LHCC-94-38, 1994 | 268 | Della Negra M. et al. (CMS Collaboration) |
| 6 | Jet and dijet extraction in heavy ion collisions in CMS detector on LHC. | печ. | Preprint NPI MSU 95-7/371, Moscow, 1995 | 14 | Korotkikh V.L., Kruglov N.A., Sarycheva L.I., Vardanyan I.N. |
| 7 | Heavy ion physics at LHC with the Compact Muon Solenoid. | печ. | Proc. of Intern. Workshop "Physics with the Collider Detectors at RHIC and the LHC", Monterey, USA, 1995, p.175-182 | 8 | Bedjidian M. et al. |
| 8 | Multiple scattering of hard jets in quark-gluon plasma with viscosity and transverse expansion. | печ. | Preprint NPI MSU 95-33/397, Moscow, 1995 | 15 | Snigirev A.M. |
| 9 | The model of transverse expansion of quark-gluon fluid with phase transition and hadron spectra in heavy ion collisions. | печ. | Preprint NPI MSU 96-5/412, Moscow, 1995 | 17 | Snigirev A.M. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|--|------|--|-----|---|
| 10 | A model of transverse expansion of quark-gluon fluid with phase transition and hadron spectra in heavy ion collisions. | печ. | Physics Letters 378B, 1996, p.247-254 | 8 | Snigirev A.M. |
| 11 | Многokратное рассеяние жестких струй в кварк-глюонной плазме с вязкостью и поперечным расширением. | печ. | Ядерная физика, т.59, вып.10, 1996, с.1823-1830 | 8 | Снигирев А.М. |
| 12 | Смешанная фаза в модели поперечного расширения кварк-глюонной плазмы. | печ. | Ядерная физика т.60, вып.1, 1997, с.125-130 | 6 | Снигирев А.М., Хрущев В.В. |
| 13 | Подавление жестких струй в вязкой кварк-глюонной плазме. | печ. | Ядерная физика т.60, вып.2, 1997, с.360-364 | 5 | Снигирев А.М. |
| 14 | Probing the space-time evolution of hot parton matter by hard jets. | печ. | Zeitschrift fur Physik C73, 1997, p.315-320 | 6 | Snigirev A.M. |
| 15 | Radiative energy loss of hard parton jet in expanding quark-gluon fluid. | печ. | Preprint NPI MSU 97-10/461, Moscow, 1997 | 12 | Snigirev A.M. |
| 16 | Гидродинамика паргонной материи и механизмы генерации адронных струй в ультрарелятивистских столкновениях ядер. | рук. | Автореферат на соискание ученой степени канд. физ.-мат. наук, Москва, 1997 | 17 | |
| 17 | On the problem of hard jet recognition in heavy ion collisions. | печ. | Zeitschrift fur Physik C76, 1997, p.99-105 | 7 | Kruglov N.A., Sarycheva L.I., Snigirev A.M. |
| 18 | CMS Hadron Calorimeter Project: Technical Design Report | печ. | CERN, LHCC-97-31, 1997 | 451 | Della Negra M. et al. (CMS Collaboration) |
| 19 | CMS Muon Project: Technical Design Report | печ. | CERN, LHCC-97-32, 1997 | 441 | Della Negra M. et al. (CMS Collaboration) |
| 20 | CMS Electromagnetic Calorimeter Project: Technical Design Report | печ. | CERN, LHCC-97-33, 1997 | 364 | Della Negra M. et al. (CMS Collaboration) |
| 21 | CMS Tracker System Project: Technical Design Report | печ. | CERN, LHCC-98-6, 1998 | 539 | Della Negra M. et al. (CMS Collaboration) |
| 22 | Studies of dijet and monojet rates in heavy ion collisions with CMS. | печ. | CERN CMS NOTE 1998/025 | 10 | Sarycheva L.I., Snigirev A.M., Vardanyan I.N. |
| 23 | Search for quark-gluon plasma and jet production in ultra-relativistic ion collisions | печ. | Czechoslovak Journal of Physics 48/S1, 1998, p.51-56 | 6 | Snigirev A.M. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|---|------|--|----|--|
| 24 | Study of γ +Jet channel in heavy ion collisions with CMS | печ. | CERN CMS NOTE 1998/063 | 17 | Kodolova O.L., Nikitenko A., Sarycheva L.I., Snigirev A.M., Vardanyan I.N. |
| 25 | Angular structure of energy losses of hard jet in dense QCD-matter. | печ. | Physics Letters 440B, 1998, p.163-169 | 7 | Snigirev A.M. |
| 26 | Estimations of Level 1 calo trigger rates in heavy ion collisions at CMS | печ. | CERN CMS NOTE 1998/078 | 14 | Kodolova O.L., Kvatadze R., Nikitenko A., Sarycheva L.I., Snigirev A.M., Vardanyan I.N. |
| 27 | Jet physics in CMS heavy ion programme | печ. | CERN CMS NOTE 1999/016 | 14 | Bedjidian M. et al. |
| 28 | Рождение пар струй и одиночных струй в зависимости от энергетического порога регистрации в ультрарелятивистских столкновениях ядер. | печ. | Ядерная физика, т.62, вып.7, 1999, с.1333-1342 | 10 | Сарычева Л.И., Снигирев А.М. |
| 29 | Диагностика сверхплотной материи в ультрарелятивистских столкновениях ядер. | печ. | Физика элементарных частиц и атомного ядра, т.30, вып.3, 1999, с.660-719 | 60 | Сарычева Л.И., Снигирев А.М. |
| 30 | Центавр-события и возможность их регистрации с помощью установки CMS на коллайдере LHC | печ. | Препринт НИИЯФ МГУ 99-33/591, Москва, 1999 | 15 | Петрушанко С.В., Сарычева Л.И. |
| 31 | In-medium energy loss and jet characteristics in nuclear collisions | печ. | Proc. of RIKEN BNL Research Center Workshop "Hard parton physics in high-energy nuclear collisions", BNL-52574, 1999, p.10-15 | 6 | |
| 32 | Heavy Ion Physics with Compact Muon Solenoid at LHC | печ. | Proc. of 14th International Workshop on High Energy Physics and Quantum Field Theory, Moscow, Russia, 1999, p.180-196 | 17 | Sarycheva L.I. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|--|------|---|-----|---|
| 33 | In-medium parton energy losses and characteristics of hadronic jets in ultra-relativistic nuclear collisions | печ. | Proc. of the XXXIVth Recontres de Moriond "QCD and High Energy Hadronic Interactions", Le Arc, France, 1999, p.241-244 | 4 | |
| 34 | Nuclear geometry of jet quenching | печ. | European Physical Journal C 16, 2000, p.527-536 | 10 | Snigirev A.M. |
| 35 | Diagnostics of quark-gluon plasma in ultrarelativistic nuclear collisions | печ. | Proc. of 15th International Workshop on High Energy Physics and Quantum Field Theory, Moscow, Russia, 2000, p.184-191 | 7 | |
| 36 | Diagnostics of quark-gluon plasma in ultrarelativistic heavy ion collisions by hard QCD-processes | печ. | Proc. of 15th International Seminar on High Energy Physics Problems "Relativistic Nuclear Physics and Quantum Chromodynamics", Dubna, Russia, 2000, p.207-213 | 7 | |
| 37 | CMS TriDAS Project: Technical Design Report, Volume 1: The Trigger Systems | печ. | CERN, LHCC-2000-38, 2000 | 599 | Della Negra M. et al. (CMS Collaboration) |
| 38 | High-mass dimuon and secondary J/ψ production at CMS as probes of medium-induced bottom quark energy loss in heavy ion collisions | печ. | Journal of Physics G 27, 2001, p.2365-2377 | 13 | Snigirev A.M. |
| 39 | Жесткие КХД-процессы и зависимость потерь энергии партонов от параметра удара в ультрарелятивистских соударениях ядер. | печ. | Ядерная физика, т.64, вып.8, 2001, с.1563-1575 | 13 | Снигирев А.М. |
| 40 | Probing the medium-induced energy loss of bottom quarks by dimuon production in heavy ion collisions at LHC | печ. | European Physical Journal C 21, 2001, p.155-162 | 8 | Snigirev A.M. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|---|------|---|----|---|
| 41 | Heavy ion studies with CMS HF calorimeter | печ. | Письма в ЭЧАЯ, т.107, вып. 4, 2001, с.93-109 | 17 | Damgov J. et al. |
| 42 | High-mass dimuon, BB and $B \rightarrow J/\psi$ production in ultrarelativistic nucleus-nucleus interactions | печ. | Proc. of International Workshop on Physics of Quark-Gluon Plasma, Palaiseau, France, 2001, p.300-305 | 6 | |
| 43 | High-mass dimuon and secondary charmonium production in ultrarelativistic heavy ion collisions | печ. | Nuclear Physics A 702, 2002, p.346-350 | 5 | Snigirev A.M. |
| 44 | Особенности регистрации струй в HF-калориметре установки CMS на LHC | печ. | Препринт НИИЯФ МГУ 2002-8/692, Москва, 2002 | 21 | Никитенко А.Н., Петрушанко С.В., Сарычева Л.И., Теплов К.Ю. |
| 45 | Азимутальная асимметрия рождения струй как сигнал потерь энергии партонов в полу-центральных соударениях тяжелых ионов. | печ. | Ядерная физика, т.65, вып.5, 2002, с.974-983 | 10 | Петрушанко С.В., Сарычева Л.И., Снигирев А.М. |
| 46 | A method for analysing the jet azimuthal anisotropy in ultrarelativistic heavy ion collisions | печ. | Physics Letters 537B, 2002, p.261-267 | 7 | Sarycheva L.I., Snigirev A.M. |
| 47 | Рождение и перерасеяние тяжелых кварков в ультрарелятивистских ядро-ядерных взаимодействиях | печ. | Ядерная физика, т.65, вып.9, 2002, с.1777-1787 | 11 | Снигирев А.М. |
| 48 | Jet quenching in heavy ion collisions at LHC | печ. | Proc. of XXXII International Symposium on Multiparticle Dynamics, Alushta, Crimea, Ukraine, 2002, p.163-166 | 4 | |
| 49 | Jet quenching studies in CMS experiment at LHC: B-meson and jet production | печ. | Proc. of XVI International Baldin Seminar on High Energy Physics Problems "Relativistic Nuclear Physics and Quantum Chromodynamics Dubna, Russia, 2002, p.279-285 | 7 | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|--|------|---|-----|---|
| 50 | Jet quenching studies in heavy ion collisions with CMS detector at the LHC | печ. | Proc. of 3rd International Sakharov Conference on Physics, Moscow, Russia, 2002, p.669-676 | 8 | |
| 51 | CMS TriDAS Project: Technical Desigh Report, Volume 2, Data Acquisition and High-Level Trigger | печ. | CERN, LHCC-2002-26, 2002 | 468 | Cittolin S. et al. (CMS Collaboration) |
| 52 | Azimuthal anisotropy of jet quenching at LHC | печ. | Pramana - Journal of Physics 60, 2003, p.1045-1049 | 5 | Petrushanko S.V., Sarycheva L.I., Snigirev A.M. |
| 53 | Measuring the jet azimuthal anisotropy without reconstruction of the reaction plane | печ. | Nuclear Physics A 715, 2003, p.633-636 | 4 | Sarycheva L.I., Snigirev A.M. |
| 54 | Partonic energy loss in ultrarelativistic heavy ion collisions: jet suppression versus jet fragmentation softening | печ. | Physics Letters 567B, 2003, p.39-45 | 7 | Snigirev A.M. |
| 55 | Azimuthal anisotropy and jet quenching in heavy ion collisions with CMS calorimetry | печ. | CERN CMS NOTE 2003/019 | 11 | Petrushanko S.V., Sarycheva L.I., Snigirev A.M. |
| 56 | Extracting the jet azimuthal anisotropy from higher order cumulants | печ. | European Physical Journal C 30, 2003, p.103-109 | 7 | Sarycheva L.I., Snigirev A.M. |
| 57 | Определение азимутальных характеристик струй без измерения угла плоскости реакции | печ. | Ядерная физика, т.66, вып.12, 2003, с.2250-2258 | 9 | Сарычева Л.И., Снигирев А.М. |
| 58 | Using calorimetry to investigate the azimuthal anisotropy in heavy ion collisions | печ. | Proc. of NATO Advanced Study Institute on Structure and Dynamics of Elementary Matter, Kemer, Turkey, 2003, p.649-652 | 4 | Petrushanko S.V., Sarycheva L.I., Snigirev A.M. |
| 59 | Jet quenching studies in heavy ion collisions at LHC | печ. | Proc. of NATO Advanced Study Institute on Structure and Dynamics of Elementary Matter, Kemer, Turkey, 2003, p.653-656 | 4 | Snigirev A.M. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|--|------|--|-----|---|
| 60 | Heavy Ion Physics Programme in CMS | печ. | European Physical Journal C 32 S2, 2004, p.69-202 | 184 | Baur G. et al. |
| 61 | Fast simulation of jet quenching in ultrarelativistic heavy ion collisions | печ. | Preprint SINP MSU 2004-13/752, Moscow, 2004 | 11 | Snigirev A.M. |
| 62 | Fast simulation of flow effects in central and semi-central heavy ion collisions at LHC | печ. | Preprint SINP MSU 2004-14/753, Moscow, 2004 | 9 | Snigirev A.M. |
| 63 | Calorimetric transverse energy-energy correlations as a probe of jet quenching | печ. | European Physical Journal C 36, 2004, p.375-379 | 5 | Sarycheva L.I., Snigirev A.M. |
| 64 | P_T -imbalance in dimuon+jet production as a signal of partonic energy loss in heavy ion collisions at LHC | печ. | Physics Letters 599B, 2004, p.260-268 | 9 | Sherstnev A.V., Snigirev A.M. |
| 65 | Medium-modified fragmentation of b-jets tagged by a leading muon in ultrarelativistic heavy ion collisions | печ. | European Physical Journal C 37, 2004, p.465-469 | 5 | Sarycheva L.I., Snigirev A.M., Teplov K.Yu. |
| 66 | Определение центральности в соударениях тяжелых ионов с помощью передних калориметров установки CMS на LHC | печ. | Препринт НИИЯФ МГУ 2004-22/761, Москва, 2004 | 23 | Сарычева Л.И., Теплов К.Ю. |
| 67 | Jet physics | печ. | Hard probes in heavy ion collisions at the LHC, ed. by M. Mangano, H. Satz, U. Wiedemann, CERN Report 2004-09, p.123-246 | 124 | Accardi A. et.al. |
| 68 | Heavy flavour physics | печ. | Hard probes in heavy ion collisions at the LHC, ed. by M. Mangano, H. Satz, U. Wiedemann, CERN Report 2004-09, p.247-366 | 120 | Bedjidian M. et.al. |
| 69 | Photon physics in heavy ion collisions at the LHC | печ. | Hard probes in heavy ion collisions at the LHC, ed. by M. Mangano, H. Satz, U. Wiedemann, CERN Report 2004-09, p.367-493 | 127 | Arleo F. et.al. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|--|------|--|-----|---|
| 70 | Модификация функции фрагментации струи в ультрарелятивистских соударениях ядер и ее определение в канале с рождением лидирующего π^0 | печ. | Ядерная физика, т.68, вып.2, 2005, с.357-365 | 9 | Варданян И.Н., Сарычева Л.И., Снигирев А.М., Теплов К.Ю. |
| 71 | CMS Computing Project: Technical Desigh Report | печ. | CERN, LHCC-2005-023, 2005 | 137 | Bayatian G.L. et al. (CMS Collaboration) |
| 72 | Jet activity versus alignment | печ. | European Physical Journal C 44, 2005, p.51-57 | 7 | Managadze A.K., Sarycheva L.I., Snigirev A.M. |
| 73 | О выстроенности в струйных событиях | печ. | Ядерная физика, т.69 вып.1, 2006, с.117-123 | 7 | Манагадзе А.К., Сарычева Л.И., Снигирев А.М. |
| 74 | CMS Physics: Technical Desigh Report, Volume I, Detector Performance and Software | печ. | CERN, LHCC-2006-001, 2006 | 510 | Bayatian G.L. et al. (CMS Collaboration) |
| 75 | A model of jet quenching in ultrarelativistic heavy ion collisions and high- p_T hadron spectra RHIC | печ. | European Physical Journal C 45, 2006, p.211-217 | 7 | Snigirev A.M. |
| 76 | Диагностика кварк-глюонной плазмы с помощью жестких КХД-процессов в ультрарелятивистских соударениях ядер | рук. | Автореферат на соискание ученой степени докт. физ.-мат. наук, Москва, 2006 | 32 | |
| 77 | Rapidity-dependence of jet shape broadening and quenching | печ. | Physical Review C 73, 2006, p. 0649051-06490512 | 8 | Petrushanko S.V., Sarycheva L.I., Snigirev A.M. |
| 78 | Корреляции поперечной энергии и форма струй в столкновениях ультрарелятивистских ядер | печ. | Ядерная физика, т.69, вып.9, 2006, с.1643-1655 | 13 | Петрушанко С.В., Сарычева Л.И., Снигирев А.М. |
| 79 | Jet Physics in Heavy Ion Collisions with Compact Muon Solenoid Detector at LHC | печ. | Journal of Physics: Conference Series 50, 2006, p. 385-388 | 4 | |
| 80 | A Fast hadron freeze-out generator | печ. | Physical Review C 74, 2006, p.0649011-06490112 | 12 | Amelin N.S., Lednicky R., Pocheptsov T.A., Malinina L.V., Snigirev A.M., Karpenko Iu.A., Sinyukov Yu.M. |
| 81 | Simulation of jet quenching in heavy ion collisions | печ. | Proc. of XXXIII International Conference on High Energy Physics, Moscow, Russia, 2006, p.401-404 | 4 | Snigirev A.M. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|---|------|--|-----|---|
| 82 | CMS Physics Performance: Physics Technical Design Report, Volume II | печ. | Journal of Physics G 34, 2007, p. 995-1579 | 585 | Bayatian G.L. et al. (CMS Collaboration) |
| 83 | CMS Physics Technical Design Report, Volume II: "Addendum on High Density QCD with Heavy Ions" | печ. | Journal of Physics G 34, 2007, p. 2307-2455 | 149 | d'Enterria D. et al. (CMS Collaboration) |
| 84 | Simulation of jet quenching at RHIC and LHC | печ. | Journal of Physics G 34, 2007, p. S999-S1003 | 4 | Snigirev A.M. |
| 85 | Simulation of jet quenching and high- p_T particle production at RHIC and LHC | печ. | Proc. of International Workshop "High- p_T physics at LHC", Jyvaskala, Finland, 2007, PoS LHC07:003 | 10 | Petrushanko S.V., Snigirev A.M., Teplov C.Yu. |
| 86 | Fast hadron freeze-out generator, part II: noncentral collisions | печ. | Physical Review C 77, 2008, p. 0149031-01490311 | 11 | Amelin N.S., Lednicky R., Malinina L.V., Snigirev A.M., Karpenko Iu.A., Sinyukov Yu.M., Arsene I., Bravina L. |
| 87 | Heavy Ion Collisions at the LHC - Last Call for Predictions | печ. | Journal of Physics G 35, 2008, p. 054001 | 170 | Abreu S. et al. |
| 88 | The CMS experiment at the CERN LHC | печ. | Journal of Instrumentation 3, 2008, p. S08004 | 361 | Chatrchyan S. et al. (CMS Collaboration) |
| 89 | Эллиптический поток частиц в соударениях тяжелых ионов и возможность его измерения при энергиях LHC | печ. | Ядерная физика, т.71, вып.12, 2008, с. 2179-2188 | 10 | Коротких В.Л., Петрушанко С.В., Сарычева Л.И., Снигирев А.М., Эйюбова Г.Х. |
| 90 | Capabilities of the CMS detector for studies of hard probes in heavy ion collisions at the LHC | печ. | Proc. of International Workshop "High- p_T physics at LHC", Tokaj, Hungary, 2008, PoS HIGH-pTLHC08:001 | 8 | |
| 91 | Recent developments on HYDJET/PYQUEN event generators and novel jet quenching observables at LHC | печ. | Proc. of International Workshop "High- p_T physics at LHC", Tokaj, Hungary, 2008, PoS HIGH-pTLHC08:002 | 8 | Malinina L.V., Petrushanko S.V., Snigirev A.M., Arsene I., Tywoniuk K. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|--|------|---|----|--|
| 92 | Heavy ion event generator HYDJET++ (HYDroynamics plus JETs) | печ. | Computer Physics Communications, 180, 2009, p. 779-799 | 21 | Malinina L.V., Petrushanko S.V., Snigirev A.M., Arsene I., Tywoniuk K. |
| 93 | HYDJET++ heavy ion event generator and its applications for RHIC and LHC | печ. | Proc. of International Workshop "High- p_T physics at LHC", Prague, Czech Republic, 2009, PoS High- p_T physics09:023 | 12 | Malinina L.V., Petrushanko S.V., Snigirev A.M., Arsene I., Tywoniuk K. |
| 94 | HYDJET++ simulations and reconstruction of the anisotropic flow in Pb+Pb collisions at the LHC | печ. | Proc. of International Workshop "High- p_T physics at LHC", Prague, Czech Republic, 2009, PoS High- p_T physics09:047 | 10 | Bravina L.V., Eyyubova G.Kh., Zabrodin E.E., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M., |
| 95 | Исследование свойств сверхплотной материи в релятивистских соударениях тяжелых ионов | печ. | Сборник "В глубь материи: Физика XXI века глазами создателей экспериментального комплекса на Большом адронном коллайдере в Женеве", Москва, изд. "Этерна", 2009, с. 519-530 | 12 | Сарычева Л.И. |
| 96 | Two mechanisms responsible for reduction of elliptic flow at the CERN Large Hadron Collider (LHC) and restoration of constituent quark scaling | печ. | Physical Review C 80, 2009, p. 0649071-0649079 | 9 | Eyyubova G.Kh., Bravina L.V., Zabrodin E.E., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M., |
| 97 | Unusual event alignment topologies in cosmic rays and expectation for the LHC | печ. | Proc. of 13th International Conference on Elastic and Diffractive Scattering "Moving Forward into the LHC Era", CERN, Geneva, Switzerland, 2009, p.308-314 | 7 | De Roeck, A., Managadze A.K., Sarycheva L.I., Snigirev A.M. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|----|---|
| 98 | Modeling the jet quenching in hot and dense QCD matter | печ. | Interdisciplinary Journal Nonlinear Phenomena in Complex Systems 12, 2009, p. 348-355 | 8 | Malinina L.V., Petrushanko S.V., Snigirev A.M., Arsene I., Tywoniuk K. |
| 99 | Estimates of hadron azimuthal anisotropy from multiparton interactions in proton-proton collisions at $\sqrt{s} = 14$ TeV | печ. | European Physical Journal C 66, 2010, p. 173-185 | 13 | d'Enterria D., Eyyubova G.Kh., Malinina L.V., Petrushanko S.V., Sarycheva L.I., Snigirev A.M. |
| 100 | Commissioning of the CMS experiment and the cosmic run at four Tesla | печ. | Journal of Instrumentation 5, 2010, T03001 | 38 | Chatrchyan S. et al. (CMS Collaboration) |
| 101 | Performance of the CMS level-1 trigger during commissioning with cosmic ray muons | печ. | Journal of Instrumentation 5, 2010, T03002 | 50 | Chatrchyan S. et al. (CMS Collaboration) |
| 102 | Performance of the CMS drift-tube local trigger with cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03003 | 33 | Chatrchyan S. et al. (CMS Collaboration) |
| 103 | Fine synchronization of the CMS muon drift-tube local trigger using cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03004 | 32 | Chatrchyan S. et al. (CMS Collaboration) |
| 104 | Commissioning of the CMS high-level trigger with cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03005 | 32 | Chatrchyan S. et al. (CMS Collaboration) |
| 105 | CMS data processing workflows during an extended cosmic ray run | печ. | Journal of Instrumentation 5, 2010, T03006 | 43 | Chatrchyan S. et al. (CMS Collaboration) |
| 106 | Commissioning and performance of the CMS pixel tracker with cosmic ray muons | печ. | Journal of Instrumentation 5, 2010, T03007 | 37 | Chatrchyan S. et al. (CMS Collaboration) |
| 107 | Commissioning and performance of the CMS silicon strip tracker with cosmic ray muons | печ. | Journal of Instrumentation 5, 2010, T03008 | 45 | Chatrchyan S. et al. (CMS Collaboration) |
| 108 | Alignment of the CMS silicon tracker during commissioning with cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03009 | 40 | Chatrchyan S. et al. (CMS Collaboration) |
| 109 | Performance and operation of the CMS electromagnetic calorimeter | печ. | Journal of Instrumentation 5, 2010, T03010 | 26 | Chatrchyan S. et al. (CMS Collaboration) |
| 110 | Time reconstruction and performance of the CMS electromagnetic calorimeter | печ. | Journal of Instrumentation 5, 2010, T03011 | 40 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|---|
| 111 | Performance of the CMS hadron calorimeter with cosmic ray muons and LHC beam data | печ. | Journal of Instrumentation 5, 2010, T03012 | 34 | Chatrchyan S. et al. (CMS Collaboration) |
| 112 | Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data | печ. | Journal of Instrumentation 5, 2010, T03013 | 30 | Chatrchyan S. et al. (CMS Collaboration) |
| 113 | Identification and filtering of uncharacteristic noise in the CMS hadron calorimeter | печ. | Journal of Instrumentation 5, 2010, T03014 | 30 | Chatrchyan S. et al. (CMS Collaboration) |
| 114 | Performance of the CMS drift tube chambers with cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03015 | 46 | Chatrchyan S. et al. (CMS Collaboration) |
| 115 | Calibration of the CMS drift tube chambers and measurement of the drift velocity with cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03016 | 38 | Chatrchyan S. et al. (CMS Collaboration) |
| 116 | Performance study of the CMS barrel resistive plate chambers with cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03017 | 32 | Chatrchyan S. et al. (CMS Collaboration) |
| 117 | Performance of the CMS cathode strip chambers with cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03018 | 39 | Chatrchyan S. et al. (CMS Collaboration) |
| 118 | Aligning the CMS muon chambers with the muon alignment system during an extended cosmic ray run | печ. | Journal of Instrumentation 5, 2010, T03019 | 34 | Chatrchyan S. et al. (CMS Collaboration) |
| 119 | Alignment of the CMS muon system with cosmic-ray and beam-halo muons | печ. | Journal of Instrumentation 5, 2010, T03020 | 41 | Chatrchyan S. et al. (CMS Collaboration) |
| 120 | Precise mapping of the magnetic field in the CMS barrel yoke using cosmic rays | печ. | Journal of Instrumentation 5, 2010, T03021 | 36 | Chatrchyan S. et al. (CMS Collaboration) |
| 121 | Performance of CMS muon reconstruction in cosmic-ray events | печ. | Journal of Instrumentation 5, 2010, T03022 | 47 | Chatrchyan S. et al. (CMS Collaboration) |
| 122 | Measurement of the muon stopping power in lead tungstate | печ. | Journal of Instrumentation 5, 2010, P03007 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 123 | Transverse momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9$ and 2.36 TeV | печ. | Journal of High Energy Physics 1002, 2010, p.041 | 19 | Khachatryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|----|---|
| 124 | First measurement of Bose-Einstein correlations in proton-proton collisions at $\sqrt{s} = 0.9$ and 2.36 TeV at the LHC | печ. | Physical Review Letters 105, 2010, p.032001 | 24 | Khachatryan V. et al. (CMS Collaboration) |
| 125 | Transverse momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 105, 2010, p.022002 | 26 | Khachatryan V. et al. (CMS Collaboration) |
| 126 | Measurement of the charge ratio of atmospheric muons with the CMS detector | печ. | Physical Letters B 692, 2010, p.83-104 | 22 | Khachatryan V. et al. (CMS Collaboration) |
| 127 | Observation of long-range near-side angular correlations in proton-proton collisions at the LHC | печ. | Journal of High Energy Physics 1009, 2010, p.091 | 37 | Khachatryan V. et al. (CMS Collaboration) |
| 128 | Influence of jets and resonance decays on the constituent quark scaling of elliptic flow | печ. | Journal of Physics G 37, 2010, p.094060 | 6 | Zabrodin E., Bravina L., Eyyubova G., Malinina L., Petrushanko S., Snigirev A., |
| 129 | Модель релятивистских соударений тяжелых ионов HYDJET++ | печ. | Ядерная физика, т.73, вып.12, 2010, с. 2196-2204 | 9 | Малинина Л.В., Петрушанко С.В., Снигирев А.М. |
| 130 | Search for dijet resonances in 7 TeV pp collisions at CMS | печ. | Physical Review Letters 105, 2010, p.211801 | 14 | Khachatryan V. et al. (CMS Collaboration) |
| 131 | First measurement of the underlying event activity at the LHC with $\sqrt{s} = 0.9$ TeV | печ. | European Physical Journal C 70, 2010, p.555-572 | 18 | Khachatryan V. et al. (CMS Collaboration) |
| 132 | Study of various photomultiplier tubes with muon beams and Cherenkov light produced in electron showers | печ. | Journal of Instrumentation 5, 2010, p.06002 | 20 | Chatrchyan S. et al. (CMS HCAL Collaboration) |
| 133 | CMS tracking performance results from early LHC operation | печ. | European Physical Journal C 70, 2010, p.1165-1192 | 28 | Khachatryan V. et al. (CMS Collaboration) |
| 134 | Search for quark compositeness with the dijet centrality ratio in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 105, 2010, p.262001 | 15 | Khachatryan V. et al. (CMS Collaboration) |
| 135 | First measurement of the cross section for top-quark pair production in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Letters B 695, 2011, p.424-443 | 20 | Khachatryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 136 | Search for stopped gluinos in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.011801 | 15 | Khachatryan V. et al. (CMS Collaboration) |
| 137 | The MPD detector at the NICA heavy-ion collider at JINR | печ. | Nuclear Instruments and Methods in Physics Research A 628, 2011, p.99-102 | 4 | Abraamyan Kh.U. et al. (MPD Collaboration) |
| 138 | Elliptic flow studies using the CMS detector | печ. | Indian Journal of Physics 85, 2011, p.63-68 | 6 | Eyyubova G.Kh., Korotkikh V.L., Petrushanko S.V., Sarycheva L.I., Snigirev A.M., Krofchek D. |
| 139 | Charged particle multiplicities in pp collisions at $\sqrt{s} = 0.9, 2.36$ and 7 TeV | печ. | Journal of High Energy Physics 1101, 2011, p.079 | 38 | Khachatryan V. et al. (CMS Collaboration) |
| 140 | Measurements of inclusive W and Z cross sections in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1101, 2011, p.080 | 40 | Khachatryan V. et al. (CMS Collaboration) |
| 141 | Modeling the jet quenching, thermal resonance production and hydrodynamical flow in relativistic heavy ions collisions | печ. | Journal of Physics: Conference Series 270, 2011, p.012060 | 4 | Belyaev A.V., Malinina L.V., Petrushanko S.V., Snigirev A.M., Arsene I., Zabrodin E. |
| 142 | Measurement of the isolated prompt photon production cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.082001 | 15 | Khachatryan V. et al. (CMS Collaboration) |
| 143 | Search for microscopic black hole signatures at the Large Hadron Collider | печ. | Physics Letters B 697, 2011, p.434-453 | 20 | Khachatryan V. et al. (CMS Collaboration) |
| 144 | Search for a heavy gauge boson W' in the final state with an electron and large missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 698, 2011, p.21-39 | 19 | Khachatryan V. et al. (CMS Collaboration) |
| 145 | Search for heavy stable charged particles in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1103, 2011, p.024 | 29 | Khachatryan V. et al. (CMS Collaboration) |
| 146 | Measurement of the B ⁺ production cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.112001 | 15 | Khachatryan V. et al. (CMS Collaboration) |
| 147 | Dijet azimuthal decorrelations in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.112003 | 15 | Khachatryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 148 | Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1103, 2011, p.090 | 29 | Khachatryan V. et al. (CMS Collaboration) |
| 149 | Search for supersymmetry in pp collisions at 7 TeV in events with jets and missing transverse energy | печ. | Physics Letters B 698, 2011, p.196-218 | 23 | Khachatryan V. et al. (CMS Collaboration) |
| 150 | Measurement of B anti-B angular correlations based on secondary vertex reconstruction at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1103, 2011, p.136 | 35 | Khachatryan V. et al. (CMS Collaboration) |
| 151 | Явление выстроенности в космических лучах и анализ азимутальной анизотропии на LHC | печ. | Известия РАН, т.75 вып.3, 2011, с.418-420 | 3 | Манагадзе А.К., Сарычева Л.И., Снигирев А.М. |
| 152 | Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1104, 2011, p.050 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 153 | Prompt and non-prompt J/ ψ production in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 71, 2011, p.1575 | 26 | Khachatryan V. et al. (CMS Collaboration) |
| 154 | Measurement of W+W- production and search for the Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 699, 2011, p.25-47 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 155 | First measurement of hadronic event shapes in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 699, 2011, p.48-67 | 20 | Khachatryan V. et al. (CMS Collaboration) |
| 156 | Strange particle production in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV | печ. | Journal of High Energy Physics 1105, 2011, p.063 | 40 | Khachatryan V. et al. (CMS Collaboration) |
| 157 | Search for pair production of first-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.201802 | 15 | Khachatryan V. et al. (CMS Collaboration) |
| 158 | Search for pair production of second-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.201803 | 15 | Khachatryan V. et al. (CMS Collaboration) |
| 159 | Measurement of dijet angular distributions and search for quark compositeness in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.201804 | 14 | Khachatryan V. et al. (CMS Collaboration) |
| 160 | Measurement of Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV | печ. | Journal of High Energy Physics 1105, 2011, p.029 | 28 | Khachatryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|---|
| 161 | Search for large extra dimensions in the diphoton final state at the Large Hadron Collider | печ. | Journal of High Energy Physics 1105, 2011, p.085 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 162 | Search for resonances in the dilepton mass distribution in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1105, 2011, p.093 | 34 | Chatrchyan S. et al. (CMS Collaboration) |
| 163 | Study of Z boson production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review Letters 106, 2011, p.212301 | 14 | Chatrchyan S. et al. (CMS Collaboration) |
| 164 | Jet quenching pattern at LHC in PYQUEN model | печ. | European Physical Journal C 71, 2011, p.1650 | 5 | Belyaev A.V., Snigirev A.M. |
| 165 | Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 700, 2011, p.187-206 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 166 | Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC | печ. | Journal of High Energy Physics 1106, 2011, p.077 | 46 | Chatrchyan S. et al. (CMS Collaboration) |
| 167 | Search for a W' boson decaying to a muon and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 701, 2011, p.160-179 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 168 | Search for a heavy bottom-like quark in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 701, 2011, p.204-223 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 169 | Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1106, 2011, p.093 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 170 | Measurement of the B0 production cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.252001 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 171 | Novel jet quenching observables in heavy ion collisions at the LHC | печ. | Indian Journal of Physics 85, 2011, p.807-811 | 5 | Snigirev A.M., Teplov C.Yu. |
| 172 | Jet shape broadening and quenching versus rapidity | печ. | Indian Journal of Physics 85, 2011, p.903-908 | 6 | Petrushanko S.V., Sarycheva L.I., Snigirev A.M. |
| 173 | Measurement of the inclusive Υ production cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 83, 2011, p.112004 | 27 | Khachatryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 174 | Measurement of $W\text{-}\gamma$ and $Z\text{-}\gamma$ production in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 701, 2011, p.535-555 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 175 | Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with two photons and missing transverse energy | печ. | Physical Review Letters 106, 2011, p.211802 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 176 | Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1107, 2011, p.049 | 48 | Chatrchyan S. et al. (CMS Collaboration) |
| 177 | Search for neutral MSSM Higgs bosons decaying to τ pairs in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 106, 2011, p.231801 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 178 | Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Journal of High Energy Physics 1107, 2011, p.076 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 179 | Search for light resonances decaying into pairs of muons as a signal of new physics | печ. | Journal of High Energy Physics 1107, 2011, p.098 | 33 | Chatrchyan S. et al. (CMS Collaboration) |
| 180 | Search for supersymmetry in events with b jets and missing transverse momentum at the LHC | печ. | Journal of High Energy Physics 1107, 2011, p.113 | 25 | Chatrchyan S. et al. (CMS Collaboration) |
| 181 | Search for same-sign top-quark pair production at $\sqrt{s} = 7$ TeV and limits on flavour changing neutral currents in the top sector | печ. | Journal of High Energy Physics 1108, 2011, p.005 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 182 | Measurement of the polarization of W bosons with large transverse momenta in W+jets events at the LHC | печ. | Physical Review Letters 107, 2011, p.021802 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 183 | Indications of suppression of excited Υ states in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review Letters 107, 2011, p.052302 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 184 | Observation and studies of jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review C 84, 2011, p.024906 | 26 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 185 | Measurement of the ratio of the 3-jet to 2-jet cross sections in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 702, 2011, p.336-354 | 19 | Chatrchyan S. et al. (CMS Collaboration) |
| 186 | Charged particle transverse momentum spectra in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV | печ. | Journal of High Energy Physics 1108, 2011, p.086 | 38 | Chatrchyan S. et al. (CMS Collaboration) |
| 187 | Measurement of the inclusive Z cross section via decays to τ pairs in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1108, 2011, p.117 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 188 | Search for first generation scalar leptoquarks in the $evjj$ channel in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 703, 2011, p.246-266 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 189 | Dependence on pseudorapidity and centrality of charged hadron production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Journal of High Energy Physics 1108, 2011, p.141 | 33 | Chatrchyan S. et al. (CMS Collaboration) |
| 190 | Search for new physics with jets and missing transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1108, 2011, p.155 | 45 | Chatrchyan S. et al. (CMS Collaboration) |
| 191 | Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum | печ. | Journal of High Energy Physics 1108, 2011, p.156 | 42 | Chatrchyan S. et al. (CMS Collaboration) |
| 192 | Missing transverse energy performance of the CMS detector | печ. | Journal of Instrumentation 6, 2011, p.09001 | 54 | Chatrchyan S. et al. (CMS Collaboration) |
| 193 | Measurement of the top-antitop production cross section in pp collisions at $\sqrt{s} = 7$ TeV using the kinematic properties of events with leptons and jets | печ. | European Physical Journal C 71, 2011, p.1721 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 194 | Search for resonances in the dijet mass spectrum from 7 TeV pp Collisions at CMS | печ. | Physics Letters B 704, 2011, p.123-142 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 195 | A search for excited leptons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 704, 2011, p.143-162 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 196 | Measurement of the t-channel single top quark production cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 107, 2011, p.091802 | 15 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 197 | Search for for three-jet resonances in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 107, 2011, p.101801 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 198 | Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 107, 2011, p.132001 | 14 | Chatrchyan S. et al. (CMS Collaboration) |
| 199 | Measurement of the strange B meson production cross section with $J/\psi \phi$ decays in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 84, 2011, p.052008 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 200 | Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7$ TeV and comparision with $\sqrt{s} = 0.9$ TeV | печ. | Journal of High Energy Physics 1109, 2011, p.109 | 30 | Chatrchyan S. et al. (CMS Collaboration) |
| 201 | Search for physics beyond the Standard model using multilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 704, 2011, p.411-433 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 202 | Measurement of the Drell-Yan cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1110, 2011, p.007 | 40 | Chatrchyan S. et al. (CMS Collaboration) |
| 203 | Measurement of inclusive W and Z cross sections in pp collisions at $\sqrt{s} = 7$ TeV with the CMS experiment | печ. | Journal of High Energy Physics 1110, 2011, p.132 | 74 | Chatrchyan S. et al. (CMS Collaboration) |
| 204 | Measurement of the differential cross section for isolated prompt photon production in pp collisions at 7 TeV | печ. | Physical Review D 84, 2011, p.052011 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 205 | Determination of jet energy calibration and transverse momentum resolution in CMS | печ. | Journal of Instrumentation 6, 2011, p.11002 | 64 | Chatrchyan S. et al. (CMS Collaboration) |
| 206 | Measurement of the $t\bar{t}$ production cross section in pp Collisions at 7 TeV in lepton + jets events using b-quark jet identification | печ. | Physical Review D 84, 2011, p.092004 | 24 | Chatrchyan S. et al. (CMS Collaboration) |
| 207 | Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV | печ. | Journal of High Energy Physics 1111, 2011, p.148 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 208 | Search for new physics with a mono-jet and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 107, 2011, p.201804 | 15 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|-----|--|
| 209 | Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC | печ. | Physical Review D 84, 2011, p.112002 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 210 | Search for a vector-like quark with charge 2/3 in t+Z Events from pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 107, 2011, p.271802 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 211 | Search for supersymmetry at the LHC in events with jets and missing transverse energy | печ. | Physical Review Letters 107, 2011, p.221804 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 212 | Search for B(s) and B to dimuon decays in pp collisions at 7 TeV | печ. | Physical Review Letters 107, 2011, p.191802 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 213 | CMS results from PbPb collisions at the LHC | печ. | Proc. of 20th International Workshop on High Energy Physics and Quantum Field Theory, Sochi, Russia, 2011, PoS QFTHEP2011:017 | 15 | |
| 214 | Technical Proposal for the Upgrade of the CMS detector through 2020 | печ. | CERN, LHCC-2011-006, 2012 | 311 | Bayatian G.L. et al. (CMS Collaboration) |
| 215 | Inclusive search for squarks and gluinos in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 85, 2012, p.112004 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 216 | Jet production rates in association with W and Z Bosons in pp collisions at 7 TeV | печ. | Journal of High Energy Physics 1201, 2012, p.010 | 45 | Chatrchyan S. et al. (CMS Collaboration) |
| 217 | Measurement of the production cross section for pairs of isolated photons in pp collisions at 7 TeV | печ. | Journal of High Energy Physics 1201, 2012, p.133 | 37 | Chatrchyan S. et al. (CMS Collaboration) |
| 218 | J/ ψ and $\psi(2S)$ production in pp collisions at 7 TeV | печ. | Journal of High Energy Physics 1202, 2012, p.011 | 45 | Chatrchyan S. et al. (CMS Collaboration) |
| 219 | Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at 7 TeV | печ. | European Physical Journal C 72, 2012, p.1839 | 39 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 220 | Measurement of the rapidity and transverse momentum distributions of Z bosons in pp collisions at 7 TeV | печ. | Physical Review D 85, 2012, p.032002 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 221 | Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at | печ. | Physics Letters B 709, 2012, p.28-49 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 222 | Exclusive photon-photon production of muon pairs in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1201, 2012, p.052 | 38 | Chatrchyan S. et al. (CMS Collaboration) |
| 223 | Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 710, 2012, p.26-48 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 224 | Search for the standard model Higgs boson decaying to a W pair in the fully leptonic final state in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 710, 2012, p.91-113 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 225 | Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physics Letters B 710, 2012, p.256-277 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 226 | Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 710, 2012, p.284-306 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 227 | Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2l2\nu$ channel in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1203, 2012, p.040 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 228 | Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^-\tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1203, 2012, p.081 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 229 | Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 710, 2012, p.403-425 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 230 | Performance of tau-lepton reconstruction and identification in CMS | печ. | Journal of Instrumentation 7, 2012, p.01001 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 231 | Study of high-pT charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | European Physical Journal C 72, 2012, p.1945 | 22 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 232 | Search for $B_s \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow \mu^+\mu^-$ decays | печ. | Journal of High Energy Physics 1204, 2012, p.033 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 233 | Search for a Higgs boson in the decay channel $H \rightarrow ZZ^{(*)} \rightarrow q\bar{q}l^-l^+$ in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1204, 2012, p.036 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 234 | Search for microscopic black holes in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1204, 2012, p.061 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 235 | Inclusive b-jet production in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1204, 2012, p.084 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 236 | Search for large extra dimensions in dimuon and dielectron events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 711, 2012, p.15-34 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 237 | Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1205, 2012, p.055 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 238 | Suppression of non-prompt J/ψ , prompt J/ψ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Journal of High Energy Physics 1205, 2012, p.063 | 53 | Chatrchyan S. et al. (CMS Collaboration) |
| 239 | Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physics Letters B 712, 2012, p.176-197 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 240 | Search for heavy bottom-like quarks in 4.9 inverse femtobarns of pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1205, 2012, p.123 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 241 | Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 713, 2012, p.68-90 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 242 | Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1206, 2012, p.036 | 37 | Chatrchyan S. et al. (CMS Collaboration) |
| 243 | Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | European Physical Journal C 72, 2012, p.2012 | 26 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 244 | Observation of a new Ξ_b baryon | печ. | Physical Review Letters 108, 2012, p.252002 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 245 | Hadron spectra, flow and correlations in PbPb collisions at the LHC: interplay between soft and hard physics | печ. | European Physical Journal C 72, 2012, p. 2045 | 8 | Belyaev A.V., Malinina L.V., Petrushanko S.V., Rogochaya E.P., Snigirev A.M. |
| 246 | Search for signatures of extra dimensions in the diphoton mass spectrum at the Large Hadron Collider | печ. | Physical Review Letters 108, 2012, p.111801 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 247 | Search for the standard model Higgs boson in the decay channel H to ZZ to 4 leptons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 108, 2012, p.111804 | 17 | Chatrchyan S. et al. (CMS Collaboration) |
| 248 | Search for heavy long-lived charged particles in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 713, 2012, p.408-433 | 26 | Chatrchyan S. et al. (CMS Collaboration) |
| 249 | Measurement of the mass difference between top and antitop quarks | печ. | Journal of High Energy Physics 1206, 2012, p.109 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 250 | Measurement of the cross section for production of $b\bar{b}X$, decaying to muons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1206, 2012, p.110 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 251 | Measurement of the Z/ γ^* +b-jet cross section in pp collisions at 7 TeV | печ. | Journal of High Energy Physics 1206, 2012, p.126 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 252 | Shape, transverse size, and charged hadron multiplicity of jets in pp collisions at 7 TeV | печ. | Journal of High Energy Physics 1206, 2012, p.160 | 38 | Chatrchyan S. et al. (CMS Collaboration) |
| 253 | Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1206, 2012, p.169 | 33 | Chatrchyan S. et al. (CMS Collaboration) |
| 254 | Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states containing a τ | печ. | Physical Review D 85, 2012, p.112007 | 18 | Chatrchyan S. et al. (CMS Collaboration) |
| 255 | Search for dark matter and large extra dimensions in pp collisions yielding a photon and missing transverse energy | печ. | Physical Review Letters 108, 2012, p.261803 | 16 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 256 | Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1207, 2012, p.143 | 37 | Chatrchyan S. et al. (CMS Collaboration) |
| 257 | Azimuthal anisotropy of charged particles at high transverse momenta in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review Letters 109, 2012, p.022301 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 258 | Measurement of the Λ_b cross section and the $\bar{\Lambda}_b$ to Λ_b ratio with $J/\psi\Lambda$ decays in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 714, 2012, p.158-179 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 259 | Search for narrow resonances in dilepton mass spectra in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 714, 2012, p.136-157 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 260 | Study of W boson production in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physics Letters B 715, 2012, p.66-87 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 261 | Search for leptonic decays of W' bosons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1208, 2012, p.023 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 262 | Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC | печ. | Physics Letters B 716, 2012, p.30-61 | 32 | Chatrchyan S. et al. (CMS Collaboration) |
| 263 | Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy | печ. | Physical Review Letters 109, 2012, p.071803 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 264 | Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1208, 2012, p.026 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 265 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1208, 2012, p.110 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 266 | Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with the novel jet-area/median approach | печ. | Journal of High Energy Physics 1208, 2012, p.130 | 33 | Chatrchyan S. et al. (CMS Collaboration) |
| 267 | Search for high mass resonances decaying into tau-lepton pairs in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 716, 2012, p.82-102 | 21 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 268 | Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 716, 2012, p.103-121 | 19 | Chatrchyan S. et al. (CMS Collaboration) |
| 269 | Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 716, 2012, p.260-284 | 25 | Chatrchyan S. et al. (CMS Collaboration) |
| 270 | Measurement of the electron charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 109, 2012, p.111806 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 271 | Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 109, 2012, p.121801 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 272 | Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state | печ. | Journal of High Energy Physics 1209, 2012, p.029 | 40 | Chatrchyan S. et al. (CMS Collaboration) |
| 273 | Search for pair production of first- and second-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 86, 2012, p.052013 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 274 | Search for dark matter and large extra dimensions in monojet events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1209, 2012, p.094 | 36 | Chatrchyan S. et al. (CMS Collaboration) |
| 275 | Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1209, 2012, p.111 | 37 | Chatrchyan S. et al. (CMS Collaboration) |
| 276 | Search for supersymmetry in hadronic final states using MT2 in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1210, 2012, p.018 | 39 | Chatrchyan S. et al. (CMS Collaboration) |
| 277 | Search for a W' or Techni- ρ decaying into WZ in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 109, 2012, p.1413801 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 278 | Measurement of the pseudorapidity and centrality dependence of the transverse energy density in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review Letters 109, 2012, p.152303 | 16 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 279 | Search for heavy Majorana neutrinos in $\mu^+\mu^+$ ($\mu^-\mu^-$) + jets and e^+e^+ (e^-e^-) + jets events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 717, 2012, p.109-128 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 280 | Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 717, 2012, p.129-150 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 281 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Journal of High Energy Physics 1210, 2012, p.087 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 282 | Search for charge-asymmetric production of W' bosons in top pair + jet events from pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 717, 2012, p.351-370 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 283 | Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 72, 2012, p.2080 | 24 | Chatrchyan S. et al. (CMS Collaboration) |
| 284 | Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7 TeV | печ. | Physical Review D 86, 2012, p.072010 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 285 | Search for new physics in the multijet and missing transverse momentum final state proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 109, 2012, p.171803 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 286 | Observation of sequential Υ suppression in PbPb collisions | печ. | Physical Review Letters 109, 2012, p.222301 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 287 | Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1211, 2012, p.067 | 39 | Chatrchyan S. et al. (CMS Collaboration) |
| 288 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1211, 2012, p.088 | 33 | Chatrchyan S. et al. (CMS Collaboration) |
| 289 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s} = 0.9, 2.76$ and 7 TeV | печ. | European Physical Journal C 72, 2012, p.2164 | 37 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 290 | Measurement of the top-quark mass in $t\bar{t}$ events with dilepton final states in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 72, 2012, p.2202 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 291 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1211, 2012, p.147 | 46 | Chatrchyan S. et al. (CMS Collaboration) |
| 292 | Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1211, 2012, p.172 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 293 | Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV | печ. | Journal of High Energy Physics 1212, 2012, p.015 | | Chatrchyan S. et al. (CMS Collaboration) |
| 294 | Observation of Z decays to four leptons with the CMS detector at the LHC | печ. | Journal of High Energy Physics 1212, 2012, p.034 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 295 | Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1212, 2012, p.035 | 46 | Chatrchyan S. et al. (CMS Collaboration) |
| 296 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1212, 2012, p.055 | 41 | Chatrchyan S. et al. (CMS Collaboration) |
| 297 | Search for pair produced fourth-generation up-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with a lepton in the final state | печ. | Physics Letters B 718, 2012, p.307-328 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 298 | Search for three-jet resonances in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 718, 2012, p.329-347 | 19 | Chatrchyan S. et al. (CMS Collaboration) |
| 299 | Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism | печ. | Physics Letters B 718, 2012, p.348-368 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 300 | A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 72, 2012, p.2189 | 26 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|-----|---|
| 301 | Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 72, 2012, p.2216 | 18 | Chatrchyan S. et al. (CMS Collaboration) |
| 302 | A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider | печ. | Science 338, 2012, p.1569-1575 | 7 | Chatrchyan S. et al. (CMS Collaboration) |
| 303 | Combined search for the quarks of a sequential fourth generation | печ. | Physical Review D 86, 2012, p.112003 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 304 | Tests of CMS hadron forward calorimeter upgrade readout box prototype | печ. | Journal of Instrumentation 7, 2012, p.10015 | 19 | Chatrchyan S. et al. (CMS HCAL Collaboration) |
| 305 | Study of the dijet mass spectrum in $pp \rightarrow W + jets$ events at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 109, 2012, p.251801 | | Chatrchyan S. et al. (CMS Collaboration) |
| 306 | Search for heavy neutrinos and W_R bosons with right-handed couplings in a left-right symmetric model in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 109, 2012, p.261802 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 307 | Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1212, 2012, p.105 | 36 | Chatrchyan S. et al. (CMS Collaboration) |
| 308 | CMS Technical Design Report for the Phase 1 Upgrade of the Hadron Calorimeter | печ. | CERN, LHCC-2012-015, 2012 | 155 | Mans J. et al. (CMS Collaboration) |
| 309 | CMS Technical Design Report for the Pixel Detector Upgrade | печ. | CERN, LHCC-2012-016, 2012 | 239 | Dominguez A. et al. (CMS Collaboration) |
| 310 | Measurement of the relative prompt production rate of $\chi(c2)$ and $\chi(c1)$ in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 72, 2012, p.2251 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 311 | Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 718, 2013, p.752-772 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 312 | Studies of jet quenching using isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physics Letters B 718, 2013, p.773-794 | 22 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 313 | Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review C 87, 2013, p.014902 | 14 | Chatrchyan S. et al. (CMS Collaboration) |
| 314 | Search for narrow resonances and quantum black holes in inclusive and b -tagged dijet mass spectra from pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1301, 2013, p.013 | 39 | Chatrchyan S. et al. (CMS Collaboration) |
| 315 | Measurement of the ZZ production cross section and search for anomalous couplings in 2l2l' final states in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1301, 2013, p.063 | 28 | Chatrchyan S. et al. (CMS Collaboration) |
| 316 | Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or at least 3 b -quark jets in 7 TeV pp collisions using the variable α_T | печ. | Journal of High Energy Physics 1301, 2013, p.077 | 38 | Chatrchyan S. et al. (CMS Collaboration) |
| 317 | Observation of long-range near-side angular correlations in proton-lead collisions at the LHC | печ. | Physics Letters B 718, 2013, p.795-814 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 318 | Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 718, 2013, p.815-840 | 26 | Chatrchyan S. et al. (CMS Collaboration) |
| 319 | Search for a narrow, spin-2 resonance decaying to a pair of Z bosons in the $q\bar{q}l^{+}l^{-}$ final state | печ. | Physics Letters B 718, 2013, p.1208-1228 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 320 | Search for a W' boson decaying to a bottom quark and a top quark in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 718, 2013, p.1229-1251 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 321 | Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV | печ. | Physics Letters B 718, 2013, p.1252-1272 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 322 | Observation of a diffractive contribution to dijet production in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 87, 2013, p.012006 | 20 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 323 | Evidence for associated production of a single top quark and W boson in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 110, 2013, p.022003 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 324 | Measurement of the azimuthal anisotropy of neutral pions in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review Letters 110, 2013, p.042301 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 325 | Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1301, 2013, p.154 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 326 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1302, 2013, p.036 | 40 | Chatrchyan S. et al. (CMS Collaboration) |
| 327 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles | печ. | Journal of High Energy Physics 1302, 2013, p.085 | 32 | Chatrchyan S. et al. (CMS Collaboration) |
| 328 | Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 719, 2013, p.42-61 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 329 | Search for heavy narrow dilepton resonances in pp collisions at $\sqrt{s} = 7$ TeV and $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 720, 2013, p.63-82 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 330 | Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV with lepton + jets final states | печ. | Physics Letters B 720, 2013, p.83-104 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 331 | Search for pair production of third-generation leptoquarks and top squarks in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 110, 2013, p.081801 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 332 | Measurement of the $\Upsilon 1S$, $\Upsilon 2S$ and $\Upsilon 3S$ polarizations in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 110, 2013, p.081802 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 333 | Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs | печ. | Physical Review Letters 110, 2013, p.081803 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 334 | Search for contact interactions in $\mu^+\mu^-$ events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 87, 2013, p.032001 | 19 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 335 | Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 73, 2013, p.2283 | 18 | Chatrchyan S. et al. (CMS Collaboration) |
| 336 | Search for excited leptons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 720, 2013, p.309-329 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 337 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1303, 2013, p.037 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 338 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1303, 2013, p.111 | 50 | Chatrchyan S. et al. (CMS Collaboration) |
| 339 | Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 87, 2013, p.052006 | 28 | Chatrchyan S. et al. (CMS Collaboration) |
| 340 | Search for contact interactions using the inclusive jet p_T spectrum in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 87, 2013, p.052017 | 19 | Chatrchyan S. et al. (CMS Collaboration) |
| 341 | Search for Z' resonances decaying to $t\bar{t}$ in dilepton+jets final states in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 87, 2013, p.072002 | 18 | Chatrchyan S. et al. (CMS Collaboration) |
| 342 | Ридж-эффект и явление выстроенности | печ. | Ядерная физика, т.76 вып.5, 2013, с.645-649 | 5 | Манагадзе А.К., Снигирев А.М. |
| 343 | Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s} = 0.9, 2.76,$ and 7 TeV | печ. | Journal of High Energy Physics 1304, 2013, p.072 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 344 | Measurement of differential top-quark pair production cross sections in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 73, 2013, p.2339 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 345 | Identification of b-quark jets with the CMS experiment | печ. | Journal of Instrumentation 8, 2013, p. P04013 | 65 | Chatrchyan S. et al. (CMS Collaboration) |
| 346 | Measurement of W^+W^- and ZZ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 722, 2013, p.190-211 | 22 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 347 | Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 722, 2013, p.5-27 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 348 | Search for anomalous production of highly boosted Z bosons decaying to dimuons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 722, 2013, p.28-47 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 349 | Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network | печ. | Physical Review D 87, 2013, p.072001 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 350 | Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC | печ. | Physical Review D 87, 2013, p.072005 | 17 | Chatrchyan S. et al. (CMS Collaboration) |
| 351 | Search for pair-produced dijet resonances in four-jet final states in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 110, 2013, p.141802 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 352 | Measurement of associated production of vector bosons and $t\bar{t}$ at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 110, 2013, p.172002 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 353 | Measurement of the $X(3872)$ production cross section via decays to $J/\psi\pi^+\pi^-$ in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1304, 2013, p.154 | 38 | Chatrchyan S. et al. (CMS Collaboration) |
| 354 | Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV | печ. | Physics Letters B 722, 2013, p.207-232 | 26 | Chatrchyan S. et al. (CMS Collaboration) |
| 355 | Event shapes and azimuthal correlations in Z + jets events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 722, 2013, p.238-261 | 24 | Chatrchyan S. et al. (CMS Collaboration) |
| 356 | Search for long-lived particles in events with photons and missing energy in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 722, 2013, p.273-294 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 357 | Measurement of the $t\bar{t}$ production cross section in the τ +jets channel in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 73, 2013, p.2386 | 18 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|-----|--|
| 358 | Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum | печ. | European Physical Journal C 73, 2013, p.2404 | 41 | Chatrchyan S. et al. (CMS Collaboration) |
| 359 | Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1305, 2013, p.065 | 34 | Chatrchyan S. et al. (CMS Collaboration) |
| 360 | Studies of jet mass in dijet and W/Z+jet events | печ. | Journal of High Energy Physics 1305, 2013, p.090 | 49 | Chatrchyan S. et al. (CMS Collaboration) |
| 361 | Search for fractionally charged particles in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 87, 2013, p.092008 | 17 | Chatrchyan S. et al. (CMS Collaboration) |
| 362 | Measurements of differential jet cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the CMS detector | печ. | Physical Review D 87, 2013, p.112002 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 363 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC | печ. | Journal of High Energy Physics 1305, 2013, p.145 | 46 | Chatrchyan S. et al. (CMS Collaboration) |
| 364 | Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV | печ. | Physics Letters B 723, 2013, p.280-301 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 365 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC | печ. | European Physical Journal C 73, 2013, p.2469 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 366 | Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 1306, 2013, p.081 | 125 | Chatrchyan S. et al. (CMS Collaboration) |
| 367 | Multiplicity and transverse-momentum dependence of two- and four-particle correlations in pPb and PbPb collisions | печ. | Physics Letters B 724, 2013, p.213-240 | 28 | Chatrchyan S. et al. (CMS Collaboration) |
| 368 | Study of exclusive two-photon production of W^+W^- in pp collisions at $\sqrt{s} = 7$ TeV and constraints on anomalous quartic gauge couplings | печ. | Journal of High Energy Physics 1307, 2013, p.116 | 43 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 369 | Search for physics beyond the standard model in events with τ leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 73, 2013, p.2493 | 26 | Chatrchyan S. et al. (CMS Collaboration) |
| 370 | Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 73, 2013, p.2494 | 28 | Chatrchyan S. et al. (CMS Collaboration) |
| 371 | Searches for Higgs bosons in pp collisions at $\sqrt{s} = 7$ and 8 TeV in the context of four-generation and fermiophobic models | печ. | Physics Letters B 725, 2013, p.36-59 | 24 | Chatrchyan S. et al. (CMS Collaboration) |
| 372 | Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 87, 2013, p.114015 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 373 | Searches for long-lived charged particles in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 1307, 2013, p.122 | 47 | Chatrchyan S. et al. (CMS Collaboration) |
| 374 | Search for gluino mediated bottom- and top-squark production in multijet final states in pp collisions at 8 TeV | печ. | Physics Letters B 725, 2013, p.243-270 | 28 | Chatrchyan S. et al. (CMS Collaboration) |
| 375 | Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1307, 2013, p.163 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 376 | “Ридж”-эффект и явление выстроенности | печ. | Сборник “Физика на ЛHC. Труды объединенного семинара RDMS CMS. Выпуск 3”, Дубна, ОИЯИ, 2013, с. 23-30 | 8 | Манагадзе А.К., Снигирев А.М. |
| 377 | Коллективные эффекты в соударениях ионов свинца при энергии $\sqrt{s_{NN}} = 2.76$ ТэВ | печ. | Сборник “Физика на ЛHC. Труды объединенного семинара RDMS CMS. Выпуск 3”, Дубна, ОИЯИ, 2013, с. 35-38 | 4 | |
| 378 | Исследование свойств кварк-глюонной материи в соударениях тяжелых ионов на ЛHC | печ. | Сборник “Физика на ЛHC. Труды объединенного семинара RDMS CMS. Выпуск 3”, Дубна, ОИЯИ, 2013, с. 89-113 | 25 | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|-----|--|
| 379 | Search for microscopic black holes in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1307, 2013, p.178 | 33 | Chatrchyan S. et al. (CMS Collaboration) |
| 380 | Inclusive search for supersymmetry using the razor variables in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 111, 2013, p.081802 | 17 | Chatrchyan S. et al. (CMS Collaboration) |
| 381 | Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 88, 2013, p.052001 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 382 | Measurement of the $B_s \rightarrow \mu\mu$ branching fraction and search for $B_0 \rightarrow \mu\mu$ with the CMS Experiment | печ. | Physical Review Letters 111, 2013, p.101804 | 17 | Chatrchyan S. et al. (CMS Collaboration) |
| 383 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables α_T and b-quark multiplicity in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 73, 2013, p.2568 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 384 | Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of Instrumentation 8, 2013, p. P09009 | 52 | Chatrchyan S. et al. (CMS Collaboration) |
| 385 | Interpretation of searches for supersymmetry with simplified models | печ. | Physical Review D 88, 2013, p.052017 | 24 | Chatrchyan S. et al. (CMS Collaboration) |
| 386 | CMS Technical Design Report for the Level-1 Trigger Upgrade | печ. | CERN, LHCC-2013-011, 2013 | 171 | Tapper A. et al. (CMS Collaboration) |
| 387 | Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states | печ. | Physics Letters B 726, 2013, p.564-586 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 388 | Search for a Higgs boson decaying into a Z and a photon in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Physics Letters B 726, 2013, p.587-609 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 389 | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1310, 2013, p.101 | 42 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|-----|--|
| 390 | Measurement of the production cross section for $Z\gamma \rightarrow \nu\nu\gamma$ in pp collisions at $\sqrt{s} = 7$ TeV and limits on $ZZ\gamma$ and $Z\gamma\gamma$ triple gauge boson couplings | печ. | Journal of High Energy Physics 1310, 2013, p.164 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 391 | Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1310, 2013, p.167 | 44 | Chatrchyan S. et al. (CMS Collaboration) |
| 392 | The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s} = 7$ TeV at the LHC | печ. | Journal of Instrumentation 8, 2013, p. P11002 | 102 | Chatrchyan S. et al. (CMS Collaboration) |
| 393 | Search for a new bottomonium state decaying to $\Upsilon(1S)\pi^+\pi^-$ in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 727, 2013, p.57-76 | 30 | Chatrchyan S. et al. (CMS Collaboration) |
| 394 | Angular analysis and branching fraction measurement of the decay B^0 to $K^{*0}\mu^+\mu^-$ | печ. | Physics Letters B 727, 2013, p.77-100 | 24 | Chatrchyan S. et al. (CMS Collaboration) |
| 395 | Measurement of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ cross sections in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 727, 2013, p.101-125 | 25 | Chatrchyan S. et al. (CMS Collaboration) |
| 396 | Measurement of the prompt J/ψ and $\psi(2S)$ polarizations in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 727, 2013, p.381-402 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 397 | Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7$ TeV and first determination of the strong coupling constant in the TeV range | печ. | European Physical Journal C 73, 2013, p.2604 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 398 | Measurement of the W^+W^- cross section in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous $WW\gamma$ and WWZ couplings | печ. | European Physical Journal C 73, 2013, p.2610 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 399 | Searches for new physics using the $t\bar{t}$ invariant mass production distribution in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review Letters 111, 2013, p.211804 | 16 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 400 | Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets | печ. | Physical Review Letters 111, 2013, p.221801 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 401 | Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1312, 2013, p.030 | 57 | Chatrchyan S. et al. (CMS Collaboration) |
| 402 | Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1312, 2013, p.039 | 33 | Chatrchyan S. et al. (CMS Collaboration) |
| 403 | Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 73, 2013, p.2604 | 26 | Chatrchyan S. et al. (CMS Collaboration) |
| 404 | Rapidity distributions in exclusive Z + jet and photon + jet events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 88, 2013, p.112009 | 17 | Chatrchyan S. et al. (CMS Collaboration) |
| 405 | Search for top-squark pair production in the single-lepton final state in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 73, 2013, p.2677 | 46 | Chatrchyan S. et al. (CMS Collaboration) |
| 406 | Determination of the top-quark pole mass and strong coupling constant from the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 728, 2014, p.496-517 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 407 | Inclusive search for a vector-like T quark with charge 2/3 in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 729, 2014, p.149-171 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 408 | Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states | печ. | Journal of High Energy Physics 1401, 2014, p.096 | 84 | Chatrchyan S. et al. (CMS Collaboration) |
| 409 | Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1401, 2014, p.163 | 44 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|---|
| 410 | Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks | печ. | Physical Review D 89, 2014, p.012003 | 36 | Chatrchyan S. et al. (CMS Collaboration) |
| 411 | Searches for light- and heavy-flavour three-jet resonances in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 730, 2014, p.193-214 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 412 | Modification of jet shapes in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physics Letters B 730, 2014, p.243-263 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 413 | Measurement of associated W + charm production in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1402, 2014, p.013 | 62 | Chatrchyan S. et al. (CMS Collaboration) |
| 414 | Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1402, 2014, p.024 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 415 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Journal of High Energy Physics 1402, 2014, p.088 | 37 | Chatrchyan S. et al. (CMS Collaboration) |
| 416 | Hexagonal flow v_6 as a superposition of elliptic v_2 and triangular v_3 flows | печ. | Physical Review C 89, 2014, p.024909 | 7 | Bravina L.V., Brusheim Johansson B.H., Eyyubova G.Kh., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M., Zabrodin E.E. |
| 417 | Search for baryon number violation in top-quark decays | печ. | Physics Letters B 731, 2014, p.173-196 | 24 | Chatrchyan S. et al. (CMS Collaboration) |
| 418 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1403, 2014, p.032 | 44 | Chatrchyan S. et al. (CMS Collaboration) |
| 419 | Higher harmonics of azimuthal anisotropy in relativistic heavy ion collisions in HYDJET++ model | печ. | European Physical Journal C 74, 2014, p.2807 | 12 | Bravina L.V., Brusheim Johansson B.H., Eyyubova G.Kh., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M., Zabrodin E.E. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 420 | Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 74, 2014, p.2758 | 23 | Chatrchyan S. et al. (CMS Collaboration) |
| 421 | Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review C 89, 2014, p.044906 | 31 | Chatrchyan S. et al. (CMS Collaboration) |
| 422 | Event activity dependence of $\Upsilon(nS)$ production in $\sqrt{s_{NN}}=5.02$ TeV pPb and $\sqrt{s}=2.76$ TeV pp collisions | печ. | Journal of High Energy Physics 1404, 2014, p.103 | 36 | Chatrchyan S. et al. (CMS Collaboration) |
| 423 | Search for top squark and higgsino production using diphoton Higgs boson decays | печ. | Physical Review Letters 112, 2014, p.161802 | 15 | Chatrchyan S. et al. (CMS Collaboration) |
| 424 | Search for top-quark partners with charge 5/3 in the same-sign dilepton final state | печ. | Physical Review Letters 112, 2014, p.171801 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 425 | Search for flavor-changing neutral currents in top-quark decays $t \rightarrow Zq$ in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review Letters 112, 2014, p.171802 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 426 | Measurements of $t\bar{t}$ spin correlations and top-quark polarization using dilepton final states in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 112, 2014, p.182001 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 427 | Is hexagonal flow v_6 just a superposition of elliptic v_2 and triangular v_3 flows? | печ. | European Physical Journal Web of Conferences 71, 2014, p.00142 | 8 | Zabrodin E., Bravina L., Brusheim Johansson B.H., Eyyubova G.Kh., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M. |
| 428 | Measurements of the $t\bar{t}$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1404, 2014, p.191 | 34 | Chatrchyan S. et al. (CMS Collaboration) |
| 429 | Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review Letters 112, 2014, p.191802 | 17 | Chatrchyan S. et al. (CMS Collaboration) |
| 430 | Measurement of the $W\gamma$ and $Z\gamma$ inclusive cross sections in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous triple gauge boson couplings | печ. | Physical Review D 89, 2014, p.092005 | 32 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 431 | Measurement of the properties of a Higgs boson in the four-lepton final state | печ. | Physical Review D 89, 2014, p.092007 | 45 | Chatrchyan S. et al. (CMS Collaboration) |
| 432 | Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons | печ. | Journal of High Energy Physics 1405, 2014, p.104 | 71 | Chatrchyan S. et al. (CMS Collaboration) |
| 433 | Search for supersymmetry in pp collisions at $\sqrt{s} = 8$ TeV in events with a single lepton, large jet multiplicity, and multiple b jets | печ. | Physics Letters B 733, 2014, p.328-353 | 26 | Chatrchyan S. et al. (CMS Collaboration) |
| 434 | Alignment of the CMS tracker with LHC and cosmic ray data | печ. | Journal of Instrumentation 9, 2014, p. P06009 | 55 | Chatrchyan S. et al. (CMS Collaboration) |
| 435 | Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review Letters 112, 2014, p.231802 | 16 | Chatrchyan S. et al. (CMS Collaboration) |
| 436 | Observation of a peaking structure in the $J/\psi\phi$ mass spectrum from $B^\pm \rightarrow J/\psi\phi K^\pm$ decays | печ. | Physics Letters B 734, 2014, p.261-281 | 21 | Chatrchyan S. et al. (CMS Collaboration) |
| 437 | Measurement of four-jet production in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 89, 2014, p.092010 | 19 | Chatrchyan S. et al. (CMS Collaboration) |
| 438 | Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | European Physical Journal C 74, 2014, p.2847 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 439 | Probing color coherence effects in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 74, 2014, p.2901 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 440 | Search for $W' \rightarrow tb$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1405, 2014, p.108 | 34 | Chatrchyan S. et al. (CMS Collaboration) |
| 441 | Measurement of the triple-differential cross section for photon+jets production in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1406, 2014, p.009 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 442 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1406, 2014, p.055 | 37 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 443 | Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1406, 2014, p.090 | 42 | Khachtryan V. et al. (CMS Collaboration) |
| 444 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1406, 2014, p.120 | 38 | Chatrchyan S. et al. (CMS Collaboration) |
| 445 | Search for pair production of excited top quarks in the lepton+jets final state | печ. | Journal of High Energy Physics 1406, 2014, p.125 | 34 | Chatrchyan S. et al. (CMS Collaboration) |
| 446 | Evidence for the direct decay of the 125 GeV Higgs boson to fermions | печ. | Nature Physics 10, 2014 | 4 | Chatrchyan S. et al. (CMS Collaboration) |
| 447 | Measurement of the production cross section for a W boson and two b jets in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 735, 2014, p.204-225 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 448 | Measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 736, 2014, p.33-57 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 449 | Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs | печ. | Physics Letters B 736, 2014, p.64-85 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 450 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | European Physical Journal C 74, 2014, p.2951 | 26 | Chatrchyan S. et al. (CMS Collaboration) |
| 451 | Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8$ TeV in final states with b-tagged jets | печ. | European Physical Journal C 74, 2014, p.2973 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 452 | Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 736, 2014, p.371-397 | 27 | Khachtryan V. et al. (CMS Collaboration) |
| 453 | Measurement of the muon charge asymmetry in inclusive pp to WX production at $\sqrt{s} = 7$ TeV and an improved determination of light parton distribution functions | печ. | Physical Review D 90, 2014, p.032004 | 33 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 454 | Search for jet extinction in the inclusive jet-pt spectrum from proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 90, 2014, p.032005 | 17 | Khachtryan V. et al. (CMS Collaboration) |
| 455 | Search for anomalous production of events with three or more leptons in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 90, 2014, p.032006 | 27 | Chatrchyan S. et al. (CMS Collaboration) |
| 456 | Search for $WW\gamma$ and $WZ\gamma$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 90, 2014, p.032008 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 457 | Measurement of jet multiplicity distributions in $t\bar{t}$ production in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 74, 2014, p.2973 | 29 | Chatrchyan S. et al. (CMS Collaboration) |
| 458 | Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes | печ. | European Physical Journal C 74, 2014, p.2980 | 35 | Chatrchyan S. et al. (CMS Collaboration) |
| 459 | Measurement of jet fragmentation in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review C 90, 2014, p.024908 | 20 | Chatrchyan S. et al. (CMS Collaboration) |
| 460 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1408, 2014, p.173 | 36 | Khachtryan V. et al. (CMS Collaboration) |
| 461 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1408, 2014, p.174 | 58 | Khachtryan V. et al. (CMS Collaboration) |
| 462 | Search for the associated production of the Higgs boson with a top-quark pair | печ. | Journal of High Energy Physics 1409, 2014, p.087 | 63 | Khachtryan V. et al. (CMS Collaboration) |
| 463 | Measurement of prompt J/ψ pair production in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1409, 2014, p.094 | 34 | Khachtryan V. et al. (CMS Collaboration) |
| 464 | Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 74, 2014, p.3060 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 465 | Evidence of b-jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review Letters 113, 2014, p.132301 | 16 | Chatrchyan S. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|---|
| 466 | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV | печ. | European Physical Journal C 74, 2014, p.3036 | 42 | Khachtryan V. et al. (CMS Collaboration) |
| 467 | Search for excited quarks in the γ +jet final state in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 736, 2014, p.274-293 | 20 | Khachtryan V. et al. (CMS Collaboration) |
| 468 | Observation of the diphoton decay of the Higgs boson and measurement of its properties | печ. | European Physical Journal C 74, 2014, p.3076 | 49 | Khachtryan V. et al. (CMS Collaboration) |
| 469 | Description and performance of track and primary-vertex reconstruction with the CMS tracker | печ. | Journal of Instrumentation 9, 2014, p. P10009 | 80 | Chatrchyan S. et al. (CMS Collaboration) |
| 470 | Study of hadronic event-shape variables in multijet final states in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 1410, 2014, p.87 | 33 | Khachtryan V. et al. (CMS Collaboration) |
| 471 | Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 8$ TeV in dilepton final states containing one τ lepton | печ. | Physics Letters B 739, 2014, p.23-43 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 472 | Measurement of the ratio of inclusive jet cross sections using the anti-kt algorithm with radius parameters $R = 0.5$ and 0.7 in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 90, 2014, p.072006 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 473 | Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments | печ. | European Physical Journal C 74, 2014, p.3053 | 26 | Chatrchyan S. et al. (CMS and TOTEM Collaborations) |
| 474 | Search for neutral MSSM Higgs bosons decaying to a pair of τ leptons in pp collisions | печ. | Journal of High Energy Physics 1410, 2014, p.160 | 53 | Khachtryan V. et al. (CMS Collaboration) |
| 475 | Search for pair production of third-generation scalar leptoquarks and top squarks in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 739, 2014, p.229-249 | 21 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|----|---|
| 476 | Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 74, 2014, p.3129 | 30 | Chatrchyan S. et al. (CMS Collaboration) |
| 477 | Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV | печ. | Physical Review D 90, 2014, p.092007 | 36 | Khachtryan V. et al. (CMS Collaboration) |
| 478 | Search for heavy neutrinos and W bosons with right-handed couplings in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 74, 2014, p.3149 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 479 | Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1411, 2014, p.154 | 30 | Khachtryan V. et al. (CMS Collaboration) |
| 480 | Search for supersymmetry with razor variables in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 90, 2014, p.112001 | 40 | Chatrchyan S. et al. (CMS Collaboration) |
| 481 | Search for new resonances decaying via WZ to leptons in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 740, 2014, p.83-104 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 482 | Identification techniques for highly boosted W bosons that decay into hadrons | печ. | Journal of High Energy Physics 1412, 2014, p.017 | 45 | Khachtryan V. et al. (CMS Collaboration) |
| 483 | Searches for heavy Higgs bosons in two-Higgs-doublet models and for $t \rightarrow ch$ decay using multilepton and diphoton final states in pp collisions at 8 TeV $\sqrt{s} = 8$ TeV | печ. | Physical Review D 90, 2014, p.112013 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 484 | Measurement of prompt $\psi(2S)$ to J/ψ yield ratios in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review Letters 113, 2014, p.262301 | 15 | Khachtryan V. et al. (CMS Collaboration) |
| 485 | Higher flow harmonics and ridge effect in PbPb collisions in HYDJET++ model | печ. | Proc. of 18th Conference of Czech and Slovak Physicists, with participation of Hungarian and Polish Physical Societies, Olomouc, Czech Republic, 2014, c. 21-22 | 2 | Eyyubova G., Korotkikh V.L., Petrushanko S.V., Snigirev A.M., Bravina L.V., Zabrodin E.E. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 486 | Measurement of the $pp \rightarrow ZZ$ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 740, 2015, p.250-272 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 487 | Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 741, 2015, p.12-37 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 488 | Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 01, 2015, p.053 | 34 | Khachtryan V. et al. (CMS Collaboration) |
| 489 | Measurement of the ratio of the production cross sections times branching fractions of $B_c^\pm \rightarrow J/\psi\pi^\pm$ and $B^\pm \rightarrow J/\psi K^\pm$ and $B(B_c^\pm \rightarrow J/\psi\pi^\pm\pi^\pm\pi^\pm)/B(B_c^\pm \rightarrow J/\psi\pi^\pm)$ in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 01, 2015, p.063 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 490 | Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets | печ. | Physical Review Letters 114, 2015, p.051801 | 16 | Khachtryan V. et al. (CMS Collaboration) |
| 491 | Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies | печ. | Physics Letters B 742, 2015, p.200-224 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 492 | Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 75, 2015, p.66 | 35 | Khachtryan V. et al. (CMS Collaboration) |
| 493 | Performance of the CMS missing transverse momentum reconstruction in pp data $\sqrt{s} = 8$ TeV | печ. | Journal of Instrumentation 10, 2015, p. 02006 | 56 | Khachtryan V. et al. (CMS Collaboration) |
| 494 | Search for Displaced Supersymmetry in events with an electron and a muon with large impact parameters | печ. | Physical Review Letters 114, 2015, p.061801 | 15 | Khachtryan V. et al. (CMS Collaboration) |
| 495 | Search for disappearing tracks in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 01, 2015, p.096 | 42 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 496 | Study of Z production in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV in the dimuon and dielectron decay channels | печ. | Journal of High Energy Physics 03, 2015, p.022 | 39 | Chatrchyan S. et al. (CMS Collaboration) |
| 497 | Search for monotop signatures in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review Letters 114, 2015, p.101801 | 16 | Khachtryan V. et al. (CMS Collaboration) |
| 498 | Search for long-lived neutral particles decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 91, 2015, p.012007 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 499 | Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 91, 2015, p.052008 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 500 | Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 91, 2015, p.052009 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 501 | Measurement of the production cross section ratio $\sigma(\chi_{2b}(1P))/\sigma(\chi_{1b}(1P))$ in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 743, 2015, p.383-402 | 20 | Khachtryan V. et al. (CMS Collaboration) |
| 502 | Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV | печ. | Physics Letters B 743, 2015, p.503-525 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 503 | Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 91, 2015, p.052012 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 504 | Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 91, 2015, p.052018 | 28 | Khachtryan V. et al. (CMS Collaboration) |
| 505 | Search for a standard model-like Higgs boson in the $\mu^+\mu^-$ and e^+e^- decay channels at the LHC | печ. | Physics Letters B 744, 2015, p.184-207 | 24 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 506 | Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at 8 TeV | печ. | European Physical Journal C 75, 2015, p.147 | 27 | Khachtryan V. et al. (CMS Collaboration) |
| 507 | Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 75, 2015, p.151 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 508 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 04, 2015, p.025 | 48 | Khachtryan V. et al. (CMS Collaboration) |
| 509 | Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV | печ. | Physics Letters B 745, 2015, p.5-28 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 510 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 04, 2015, p.124 | 40 | Khachtryan V. et al. (CMS Collaboration) |
| 511 | Measurement of the $Z\gamma$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings | печ. | Journal of High Energy Physics 04, 2015, p.164 | 39 | Khachtryan V. et al. (CMS Collaboration) |
| 512 | Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range | печ. | European Physical Journal C 75, 2015, p.186 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 513 | Measurement of J/ψ and $\psi(2S)$ prompt double-differential cross sections in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review Letters 114, 2015, p.191802 | 16 | Khachtryan V. et al. (CMS Collaboration) |
| 514 | Combined measurement of the Higgs boson mass in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments | печ. | Physical Review Letters 114, 2015, p.191803 | 33 | Aad G. et al. (ATLAS and CMS Collaborations) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|---|
| 515 | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV | печ. | European Physical Journal C 75, 2015, p.212 | 50 | Khachtryan V. et al. (CMS Collaboration) |
| 516 | Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 746, 2015, p.79-99 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 517 | Measurement of the cross section ratio $\sigma_{t\bar{t}b\bar{b}}/\sigma_{t\bar{t}j\bar{j}}$ in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 746, 2015, p.132-153 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 518 | Searches for supersymmetry using the MT2 variable in hadronic events produced in pp collisions at 8 TeV | печ. | Journal of High Energy Physics 05, 2015, p.078 | 51 | Khachtryan V. et al. (CMS Collaboration) |
| 519 | Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 91, 2015, p.092005 | 37 | Khachtryan V. et al. (CMS Collaboration) |
| 520 | Study of final-state radiation in decays of Z bosons produced in pp collisions at 7 TeV | печ. | Physical Review D 91, 2015, p.092012 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 521 | Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 75, 2015, p.235 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 522 | Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | European Physical Journal C 75, 2015, p.237 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 523 | Ultra-relativistic heavy-ion collisions - a hot cocktail of hydrodynamics, resonances and jets | печ. | European Physical Journal Web of Conferences 95, 2015, p.03039 | 12 | Zabrodin E., Bravina L., Brusheim Johansson B.H., Crkovska J., Eyyubova G.Kh., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 524 | Generation of higher flow harmonics in Pb+Pb collisions at LHC in HYDJET++ model | печ. | European Physical Journal Web of Conferences 95, 2015, p.05004 | 8 | Brusheim Johansson B.H., Bravina L.V., Eyyubova G.Kh., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M., Zabrodin E.E. |
| 525 | Search for pair-produced resonances decaying to jet pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 747, 2015, p.98-119 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 526 | Observation of the rare $B_0^s \rightarrow \mu^+\mu^-$ decay from the combined analysis of 6 CMS and LHCb data | печ. | Nature Physics 522, 2015, 68-72 | 5 | Khachtryan V. et al. (CMS and LHCb Collaborations) |
| 527 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method | печ. | European Physical Journal C 75, 2015, p.251 | 28 | Khachtryan V. et al. (CMS Collaboration) |
| 528 | Angular dihadron correlations as an interplay of elliptic and triangular flows | печ. | Physical Review C 91, 2015, p.064907 | 5 | Eyyubova G.Kh, Korotkikh V.L., Petrushanko S.V., Snigirev A.M., Bravina L.V., Zabrodin E.E. |
| 529 | Performance of electron reconstruction and selection with the CMS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of Instrumentation 10, 2015, P06005 | 64 | Khachtryan V. et al. (CMS Collaboration) |
| 530 | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure | печ. | Journal of High Energy Physics 06, 2015, p.80 | 47 | Khachtryan V. et al. (CMS Collaboration) |
| 531 | Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 06, 2015, p.121 | 38 | Khachtryan V. et al. (CMS Collaboration) |
| 532 | Evidence for collective multi-particle correlations in pPb collisions | печ. | Physical Review Letters 115, 2015, p.012301 | 17 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 533 | Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 75, 2015, p.288 | 42 | Khachtryan V. et al. (CMS Collaboration) |
| 534 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\sqrt{s} = 7$ TeV | печ. | European Physical Journal C 75, 2015, p.302 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 535 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 06, 2015, p.116 | 64 | Khachtryan V. et al. (CMS Collaboration) |
| 536 | Measurement of diffractive dissociation cross sections in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physical Review D 92, 2015, p.012003 | 32 | Khachtryan V. et al. (CMS Collaboration) |
| 537 | Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV | печ. | Physical Review D 92, 2015, p.012004 | 55 | Khachtryan V. et al. (CMS Collaboration) |
| 538 | Search for third-generation scalar leptoquarks in the $t - \tau$ channel in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 07, 2015, p.042 | 43 | Khachtryan V. et al. (CMS Collaboration) |
| 539 | Search for heavy Majorana neutrinos in $\mu^\pm\mu^\pm +$ jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 748, 2015, p.144-166 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 540 | Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in $l^+l^-b\bar{b}$ final states | печ. | Physics Letters B 748, 2015, p.221-243 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 541 | Search for narrow high-mass resonances in proton-proton collisions at $\sqrt{s} = 8$ TeV decaying to a Z and a Higgs boson | печ. | Physics Letters B 748, 2015, p.255-277 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 542 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 75, 2015, p.325 | 29 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 543 | Measurements of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ differential cross sections in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 749, 2015, p.14-34 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 544 | Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton-proton collisions at 8 TeV | печ. | Physics Letters B 749, 2015, p.187-209 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 545 | Search for the standard model Higgs boson produced through vector boson fusion and decaying to $b\bar{b}$ | печ. | Physical Review D 92, 2015, p.032008 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 546 | Search for lepton-flavour-violating decays of the Higgs boson | печ. | Physics Letters B 749, 2015, p.337-362 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 547 | Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of Instrumentation 10, 2015, P08010 | 59 | Khachtryan V. et al. (CMS Collaboration) |
| 548 | Search for resonant pair production of Higgs bosons decaying to two bottom quark-antiquark pairs in proton-proton collisions at 8 TeV | печ. | Physics Letters B 749, 2015, p.560-582 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 549 | Angular coefficients of Z bosons produced in pp collisions at $\sqrt{s} = 8$ TeV and decaying to $\mu^+\mu^-$ as a function of transverse momentum and rapidity | печ. | Physics Letters B 750, 2015, p.154-175 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 550 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $\sqrt{s} = 2.76$ TeV | печ. | Journal of High Energy Physics 09, 2015, p.137 | 32 | Khachtryan V. et al. (CMS Collaboration) |
| 551 | Evidence for transverse momentum- and pseudorapidity-dependent event-plane fluctuations in PbPb and pPb collisions | печ. | Physical Review C 92, 2015, p.034911 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 552 | Single top quark production in heavy ion collisions at energies available at the CERN Large Hadron Collider | печ. | Physical Review C 92, 2015, p.044901 | 6 | Baskakov A.V., Boos E.E., Dudko L.V., Snigirev A.M. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 553 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 09, 2015, p.201 | 36 | Khachtryan V. et al. (CMS Collaboration) |
| 554 | On jet structure in heavy ion collisions | печ. | European Physical Journal C 75, 2015, p. 452 | 12 | Alkin A.A., Snigirev A.M. |
| 555 | Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 750, 2015, p.494-519 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 556 | Study of W boson production in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physics Letters B 750, 2015, p.565-586 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 557 | Search for supersymmetry with photons in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 92, 2015, p.072006 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 558 | Limits on the Higgs boson lifetime and width from its decay to four charged leptons | печ. | Physical Review D 92, 2015, p.072010 | 28 | Khachtryan V. et al. (CMS Collaboration) |
| 559 | Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 751, 2015, p.143-163 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 560 | Comparison of the Z/γ^*+jets to $\gamma+jets$ cross sections in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 10, 2015, p.128 | 45 | Khachtryan V. et al. (CMS Collaboration) |
| 561 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons | печ. | Journal of High Energy Physics 10, 2015, p.144 | 51 | Khachtryan V. et al. (CMS Collaboration) |
| 562 | Measurements of the ZZ production cross sections in the $2l2\nu$ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV and combined constraints on triple gauge couplings | печ. | European Physical Journal C 75, 2015, p. 511 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 563 | Search for a charged Higgs boson in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 11, 2015, p.018 | 62 | Khachtryan V. et al. (CMS Collaboration) |
| 564 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks | печ. | Journal of High Energy Physics 11, 2015, p.071 | 42 | Khachtryan V. et al. (CMS Collaboration) |
| 565 | Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 75, 2015, p. 542 | 39 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|---|
| 566 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 11, 2015, p.189 | 41 | Khachtryan V. et al. (CMS Collaboration) |
| 567 | Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 92, 2015, p.112001 | 17 | Khachtryan V. et al. (CMS Collaboration) |
| 568 | Anisotropic flow fluctuations in hydro-inspired freeze-out model for relativistic heavy ion collisions | печ. | European Physical Journal C 75, 2015, p. 588 | 10 | Bravina L.V., Fotina E.S., Korotkikh V.L., Malinina L.V., Nazarova E.N., Petrushanko S.V., Snigirev A.M., Zabrodin E.E. |
| 569 | Search for a light charged Higgs boson decaying to $c\bar{s}$ in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 12, 2015, p.178 | 36 | Khachtryan V. et al. (CMS Collaboration) |
| 570 | A search for pair production of new light bosons decaying into muons | печ. | Physics Letters B 752, 2016, p.146-168 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 571 | Search for neutral MSSM Higgs bosons decaying to $\mu^+\mu^-$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Physics Letters B 752, 2016, p.221-246 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 572 | Search for a Higgs boson decaying into $\gamma^*\gamma \rightarrow ll\gamma$ with low dilepton mass in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 753, 2016, p.341-362 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 573 | Search for exotic decays of a Higgs boson into undetectable particles and one or more photons | печ. | Physics Letters B 753, 2016, p.363-388 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 574 | Angular analysis of the decay $B^0 \rightarrow K^{*0}\mu\mu$ from pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 753, 2016, p.424-448 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 575 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Journal of High Energy Physics 1, 2016, p.006 | 51 | Khachtryan V. et al. (CMS Collaboration) |
| 576 | Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 93, 2016, p.012001 | 35 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|---|
| 577 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 76, 2016, p. 13 | 31 | Khachtryan V. et al. (CMS Collaboration) |
| 578 | Thermal and non-thermal charmed meson production in heavy ions collisions at the LHC | печ. | Journal of Physics: Conference Series 668, 2016, p.012068 | 4 | Belyaev A.V., Eyyubova G.Kh., Ponimatkin G., Pronina E.Yu. |
| 579 | Features of triangular flow of strange and non-strange hadrons at LHC | печ. | Journal of Physics: Conference Series 668, 2016, p.012099 | 4 | Zabrodin, E.E., Bravina L.V. Brusheim Johansson B.B., Crkovska J., Eyyubova G.Kh., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M. |
| 580 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into τ leptons in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1, 2016, p.079 | 45 | Khachtryan V. et al. (CMS Collaboration) |
| 581 | Transverse momentum spectra of inclusive b jets in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physics Letters B 754, 2016, p.59-80 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 582 | Observation of top quark pairs produced in association with a vector boson in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1, 2016, p.096 | 54 | Khachtryan V. et al. (CMS Collaboration) |
| 598 | Search for vector-like charge 2/3 T quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 93, 2016, p.012003 | 30 | Khachtryan V. et al. (CMS Collaboration) |
| 584 | Study of B meson production in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV using exclusive hadronic decays | печ. | Physical Review Letters 116, 2016, p.032301 | 18 | Khachtryan V. et al. (CMS Collaboration) |
| 585 | HYDJET++ for ultra-relativistic HIC;s: A hot cocktail of hydrodynamics, resonances and jets | печ. | AIP Conference Proceedings 1701, 2016, p.060008 | 9 | Bravina L.V., Brusheim Johansson B.H., Crkovska J., Eyyubova G.Kh., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M. Zabrodin E., |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 586 | Reconstruction and identification of τ lepton decays to hadrons and ν_τ at CMS | печ. | Journal of Instrumentation 11, 2016, p.01019 | 74 | Khachtryan V. et al. (CMS Collaboration) |
| 587 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 1, 2016, p.166 | 43 | Khachtryan V. et al. (CMS Collaboration) |
| 588 | Measurement of the top quark pair production cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physical Review Letters 116, 2016, p.052002 | 18 | Khachtryan V. et al. (CMS Collaboration) |
| 589 | Search for new phenomena in monophoton final states in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 755, 2016, p.102-124 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 590 | Search for narrow resonances decaying to dijets in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physical Review Letters 116, 2016, p.071801 | 17 | Khachtryan V. et al. (CMS Collaboration) |
| 591 | Search for W' decaying to τ -lepton and neutrino in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 755, 2016, p.196-216 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 592 | Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh , in the final states with $h \rightarrow \tau\tau$ | печ. | Physics Letters B 755, 2016, p.217-244 | 28 | Khachtryan V. et al. (CMS Collaboration) |
| 593 | Search for pair production of first and second generation leptoquarks in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 93, 2016, p.032004 | 32 | Khachtryan V. et al. (CMS Collaboration) |
| 594 | Search for single production of scalar leptoquarks in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 93, 2016, p.032005 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 595 | Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV using a template method | печ. | Physical Review D 93, 2016, p.034014 | 27 | Khachtryan V. et al. (CMS Collaboration) |
| 596 | Search for $W' \rightarrow tb$ in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 2, 2016, p.122 | 41 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|----|--|
| 597 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 2, 2016, p.145 | 41 | Khachtryan V. et al. (CMS Collaboration) |
| 598 | Correlations between jets and charged particles in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Journal of High Energy Physics 2, 2016, p.156 | 38 | Khachtryan V. et al. (CMS Collaboration) |
| 599 | Measurements of $t\bar{t}$ spin correlations and top quark polarization using dilepton final states in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 93, 2016, p.052007 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 600 | Measurement of the $t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 76, 2016, p.128 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 601 | Measurement of the ratio $B(B_s^0 \rightarrow J/\psi f_0(980))/B(B_s^0 \rightarrow J/\psi \phi(1020))$ in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 756, 2016, p.84-102 | 19 | Khachtryan V. et al. (CMS Collaboration) |
| 602 | Event generator tunes obtained from underlying event and multiparton scattering measurements | печ. | European Physical Journal C 76, 2016, p.155 | 52 | Khachtryan V. et al. (CMS Collaboration) |
| 603 | Spectra and elliptic flow of charmed hadrons in HYDJET++ model | печ. | Proc. of European Physical Society Conference on High Energy Physics, Vienna, Austria, 2015, PoS EPS-HEP2015:2014 | 6 | Eyyubova G.Kh., Belyaev A.V., Ponimatkin G., Pronina E.Yu. |
| 604 | Search for excited leptons in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 3, 2016, p.125 | 53 | Khachtryan V. et al. (CMS Collaboration) |
| 605 | Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 93, 2016, p.052011 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 606 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 4, 2016, p.005 | 45 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 607 | Search for supersymmetry with a photon, a lepton, and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ | печ. | Physics Letters B 757, 2016, p.6-31 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 608 | Measurement of the CP-violating weak phase ϕ_s and the decay width difference $\Delta\Gamma_s$ using the $B_s^0 \rightarrow J/\psi\phi(1020)$ decay channel in pp collisions at $\sqrt{s} = 8\text{ TeV}$ | печ. | Physics Letters B 757, 2016, p.97-120 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 609 | Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in pp collisions at $\sqrt{s} = 8\text{ TeV}$ | печ. | Physics Letters B 757, 2016, p.154-179 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 610 | Measurement of the top quark mass using proton-proton data at $\sqrt{s} = 7$ and 8 TeV | печ. | Physical Review D 93, 2016, p.072004 | 37 | Khachtryan V. et al. (CMS Collaboration) |
| 611 | Search for anomalous single top quark production in association with a photon in pp collisions at $\sqrt{s} = 8\text{ TeV}$ | печ. | Journal of High Energy Physics 4, 2016, p.035 | 37 | Khachtryan V. et al. (CMS Collaboration) |
| 612 | Measurement of top quark polarisation in t-channel single top quark production | печ. | Journal of High Energy Physics 4, 2016, p.035 | 41 | Khachtryan V. et al. (CMS Collaboration) |
| 613 | Search for heavy Majorana neutrinos in $e^\pm e^\pm + jets$ and $e^\pm \mu^\pm + jets$ events in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ | печ. | Journal of High Energy Physics 4, 2016, p.169 | 42 | Khachtryan V. et al. (CMS Collaboration) |
| 614 | Search for massive WH resonances decaying into the $lvb\bar{b}$ final state at $\sqrt{s} = 8\text{ TeV}$ | печ. | European Physical Journal C 76, 2016, p.237 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 615 | Measurement of long-range near-side two-particle angular correlations in pp collisions at $\sqrt{s} = 13\text{ TeV}$ | печ. | Physical Review Letters 116, 2016, p.172302 | 19 | Khachtryan V. et al. (CMS Collaboration) |
| 616 | Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV | печ. | Physics Letters B 758, 2016, p.152-180 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 617 | Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76\text{ TeV}$ | печ. | European Physical Journal C 76, 2016, p.265 | 21 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|----|--|
| 618 | Search for a low-mass pseudoscalar Higgs boson produced in association with a $b\bar{b}$ pair in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 758, 2016, p.296-320 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 619 | Measurement of spin correlations in $t\bar{t}$ production using the matrix element method in the muon+jets final state in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 758, 2016, p.321-346 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 620 | Measurement of the top quark mass using charged particles in collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 93, 2016, p.092006 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 621 | Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 759, 2016, p.9-35 | 27 | Khachtryan V. et al. (CMS Collaboration) |
| 622 | Study of Z boson production in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physics Letters B 759, 2016, p.36-57 | 30 | Khachtryan V. et al. (CMS Collaboration) |
| 623 | Search for supersymmetry in pp collisions at $\sqrt{s} = 8$ TeV in final states with boosted W bosons and b jets using razor variables | печ. | Physical Review D 93, 2016, p.092009 | 31 | Khachtryan V. et al. (CMS Collaboration) |
| 624 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e - \mu$ pair in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 76, 2016, p.317 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 625 | Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 76, 2016, p.325 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 626 | Search for neutral resonances decaying into a Z boson and a pair of b jets or τ leptons | печ. | Physics Letters B 759, 2016, p.369-394 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 627 | Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 759, 2016, p.479-500 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 628 | Search for pair-produced vector-like B quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 93, 2016, p.112009 | 32 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 629 | Measurement of the inelastic cross section in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physics Letters B 759, 2016, p.641-662 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 630 | Combined search for anomalous pseudoscalar HVV couplings in VH ($H \rightarrow b\bar{b}$) production and $H \rightarrow VV$ decay | печ. | Physics Letters B 759, 2016, p.672-696 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 631 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks | печ. | European Physical Journal C 76, 2016, p.371 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 632 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | European Physical Journal C 76, 2016, p.372 | 34 | Khachtryan V. et al. (CMS Collaboration) |
| 633 | Search for R-parity violating decays of a top squark in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 760, 2016, p.178-201 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 634 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 6, 2016, p.177 | 47 | Khachtryan V. et al. (CMS Collaboration) |
| 635 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 7, 2016, p.027 | 48 | Khachtryan V. et al. (CMS Collaboration) |
| 636 | Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 76, 2016, p.379 | 56 | Khachtryan V. et al. (CMS Collaboration) |
| 637 | Measurement of the W^+W^- cross section in pp collisions at $\sqrt{s} = 8$ TeV and limits on anomalous gauge couplings | печ. | European Physical Journal C 76, 2016, p.401 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 638 | Search for narrow resonances in dijet final states at $\sqrt{s} = 8$ TeV with the novel CMS technique of data scouting | печ. | Physical Review Letters 117, 2016, p.031802 | 17 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 639 | Measurements of $t\bar{t}$ charge asymmetry using dilepton final states in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 760, 2016, p.365-386 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 640 | Measurement of the $Z\gamma \rightarrow \nu\bar{\nu}\gamma$ production cross section in pp collisions at $\sqrt{s} = 8$ TeV and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ trilinear gauge boson couplings | печ. | Physics Letters B 760, 2016, p.448-468 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 641 | Search for resonant production of high-mass photon pairs in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV | печ. | Physical Review Letters 117, 2016, p.051802 | 19 | Khachtryan V. et al. (CMS Collaboration) |
| 642 | Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | European Physical Journal C 76, 2016, p.439 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 643 | Measurement of the $t\bar{t}$ production cross section in the $e\mu$ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 8, 2016, p.029 | 53 | Khachtryan V. et al. (CMS Collaboration) |
| 644 | Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | European Physical Journal C 76, 2016, p.451 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 645 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 76, 2016, p.460 | 46 | Khachtryan V. et al. (CMS Collaboration) |
| 646 | Perspectives of anisotropic flow measurements at NICA | печ. | European Physical Journal A 52, 2016, p.248 | 4 | Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M. |
| 647 | $\Upsilon(nS)$ polarizations versus particle multiplicity in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Physics Letters B 761, 2016, p.31-52 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 648 | Measurement of the differential cross section and charge asymmetry for inclusive $pp \rightarrow W^\pm + X$ production at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 76, 2016, p.469 | 27 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|-----|---|
| 649 | HYDRO + JETS (HYDJET++) event generator for Pb+Pb collisions at LHC | печ. | Journal of Physics: Conference Series 736, 2016, p.012024 | 8 | Bravina L., Brusheim Johansson B.B., Crkovska J., Eyyubova G., Korotkikh V., Malinina L., Nazarova E., Petrushanko S., Snigirev A., Zabrodin E. |
| 650 | Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 8, 2016, p.045 | 111 | Aad G. et al. (ATLAS and CMS Collaborations) |
| 651 | Evidence for exclusive $\gamma\gamma \rightarrow W^+W^-$ production and constraints on anomalous quartic gauge couplings at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 8, 2016, p.119 | 46 | Khachtryan V. et al. (CMS Collaboration) |
| 652 | Search for supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV in the single-lepton final state using the sum of masses of large-radius jets | печ. | Journal of High Energy Physics 8, 2016, p.122 | 48 | Khachtryan V. et al. (CMS Collaboration) |
| 653 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $\sqrt{s} = 7$ TeV | печ. | Journal of High Energy Physics 8, 2016, p.139 | 40 | Khachtryan V. et al. (CMS Collaboration) |
| 654 | Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Physical Review D 94, 2016, p.052006 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 655 | Search for s channel single top quark production in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 9, 2016, p.027 | 30 | Khachtryan V. et al. (CMS Collaboration) |
| 656 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width | печ. | Journal of High Energy Physics 9, 2016, p.051 | 43 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|---|
| 657 | Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV | печ. | Physical Review D 94, 2016, p.052012 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 658 | Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 76, 2016, p.536 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 659 | Search for new physics with the $MT2$ variable in all-jets final states produced in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 10, 2016, p.006 | 60 | Khachtryan V. et al. (CMS Collaboration) |
| 660 | Dose rate effects in the radiation damage of the plastic scintillators of the CMS Hadron Endcap Calorimeter | печ. | Journal of Instrumentation 11, 2016, p. T10004 | 9 | Khachtryan V. et al. (CMS HCAL Collaboration) |
| 661 | Measurement of the integrated and differential $t\bar{t}$ production cross sections for high- p_T top quarks in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 94, 2016, p.072002 | 25 | Khachtryan V. et al. (CMS Collaboration) |
| 662 | Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton+jets final states produced in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 762, 2016, p.512-534 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 663 | Hydro and jets in relativistic heavy-ion collisions | печ. | European Physical Journal Web of Conferences 125, 2016, p.04010 | 8 | Bravina L.V., Brusheim Johansson B.H., Crkovska J., Eyyubova G.Kh., Korotkikh V.L., Malinina L.V., Nazarova E.N., Petrushanko S.V., Snigirev A.M., Zabrodin E.E. |
| 664 | Phenomenological MSSM interpretation of CMS searches in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 10, 2016, p.129 | 52 | Khachtryan V. et al. (CMS Collaboration) |
| 665 | Anisotropic flow fluctuations in Pb+Pb collisions at LHC | печ. | European Physical Journal Web of Conferences 126, 2016, p.04006 | 8 | Bravina L.V., Korotkikh V.L., Malinina L.V., Nazarova E.N., Petrushanko S.V., Snigirev A.M., Zabrodin E.E. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|--|----|--|
| 666 | Measurement of the ZZ production cross section and $Z \rightarrow l^+l^-l'^+l'^-$ branching fraction in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 763, 2016, p.280-303 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 667 | Charmed meson and charmonium production in PbPb collisions at the LHC | печ. | Journal of Physics G 43 (2016) 125104 | 13 | Belyaev A.V., Eyyubova G.Kh., Ponimatkin G., Pronina E.Yu. |
| 668 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Journal of High Energy Physics 11, 2016, p.055 | 42 | Khachtryan V. et al. (CMS Collaboration) |
| 669 | Search for lepton flavour violating decays of the Higgs boson to $e\tau$ and $e\mu$ in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 763, 2016, p.472-500 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 670 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 11, 2016, p.147 | 35 | Khachtryan V. et al. (CMS Collaboration) |
| 671 | Search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physical Review D 94, 2016, p.112004 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 672 | Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV | печ. | Physical Review D 94, 2016, p.112005 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 673 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 12, 2016, p.013 | 39 | Khachtryan V. et al. (CMS Collaboration) |
| 674 | Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets | печ. | Journal of High Energy Physics 12, 2016, p.083 | 53 | Khachtryan V. et al. (CMS Collaboration) |
| 675 | Search for dark matter particles in proton-proton collisions at $\sqrt{s} = 8$ TeV using the razor variables | печ. | Journal of High Energy Physics 12, 2016, p.088 | 47 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|---|
| 676 | Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV | печ. | Journal of High Energy Physics 12, 2016, p.123 | 38 | Khachtryan V. et al. (CMS Collaboration) |
| 677 | Searches for R-parity-violating supersymmetry in pp collisions at $\sqrt{s} = 8$ TeV in final states with 0-4 leptons | печ. | Physical Review D 94, 2016, p.112009 | 43 | Khachtryan V. et al. (CMS Collaboration) |
| 678 | Anisotropic flow fluctuations in Pb-Pb collisions at the LHC energy in HYDJET++ model | печ. | Proc. of XX International Scientific Conference of Young Scientists and Specialists (AYSS-2016) Dedicated to the 60th Anniversary of the Joint Institute for Nuclear Research, 2016, p.180-184 | 5 | Nazarova E.N., Bravina L.V., Fotina E.S., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M., Zabrodin E.E. |
| 679 | Novel developments of HYDJET++ model for ultra-relativistic heavy-ion collisions | печ. | Proc. of International Symposium "New Horizons in Fundamental Physics", FIAS Interdisciplinary Science Series, 2017, p.187-197 | 11 | Bravina L., Brusheim Johansson B.H., Crkovska J., Eyyubova G., Korotkikh V., Malinina L., Nazarova E., Petrushanko S., Snigirev A., Zabrodin E. |
| 680 | Observation of the decay $B^+ \rightarrow \psi(2S)\phi(1020)K^+$ in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 764, 2017, p.66-86 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 681 | Evidence for collectivity in pp collisions at the LHC | печ. | Physics Letters B 765, 2017, p.193-220 | 28 | Khachtryan V. et al. (CMS Collaboration) |
| 682 | Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Physical Review D 95, 2017, p.112003 | 32 | Khachtryan V. et al. (CMS Collaboration) |
| 683 | Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections | печ. | European Physical Journal C 77, 2017, p.15 | 27 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|-----|--|
| 684 | О возможности термализации тяжелых мезонов в ультрарелятивистских ядро-ядерных взаимодействиях | печ. | Журнал экспериментальной и теоретической физики 151, 2017, с.285 | 8 | Беляев А.В., Пониматкин Г., Пронина Е.Ю., Эйюбова Г.Х. |
| 685 | Search for dark matter and supersymmetry with a compressed mass spectrum in the vector boson fusion topology in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review Letters 118, 2017, p.021802 | 18 | Khachtryan V. et al. (CMS Collaboration) |
| 686 | Search for high-mass $Z\gamma$ resonances in $e^+e^-\gamma$ and $\mu^+\mu^-\gamma$ final states in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV | печ. | Journal of High Energy Physics 1, 2017, p.076 | 32 | Khachtryan V. et al. (CMS Collaboration) |
| 687 | Influence of jets and decays of resonances on the triangular flow in ultrarelativistic heavy-ion collisions | печ. | Physical Review C 95, 2017, p.914910 | 9 | Crkovska J., Bielcik J., Bravina L., Brusheim Johansson B.H., Zabrodin E., Eyyubova G., Korotkikh V.L., Malinina L.V., Petrushanko S.V., Snigirev A.M., |
| 688 | The CMS trigger system | печ. | Journal of Instrumentation 12, 2017, p. P01020 | 118 | Khachtryan V. et al. (CMS Collaboration) |
| 689 | Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 766, 2017, p.268-290 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 690 | Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 95, 2017, p.012009 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 691 | Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions $\sqrt{s} = 13$ TeV | печ. | Physical Review D 95, 2017, p.012011 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 692 | Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search | печ. | Physics Letters B 767, 2017, p.147-170 | 24 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 693 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $\sqrt{s} = 7$ and 8 TeV | печ. | Journal of High Energy Physics 2, 2017, p.028 | 44 | Khachtryan V. et al. (CMS Collaboration) |
| 694 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 2, 2017, p.048 | 34 | Khachtryan V. et al. (CMS Collaboration) |
| 695 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 2, 2017, p.079 | 43 | Khachtryan V. et al. (CMS Collaboration) |
| 696 | Measurement of the production cross section of the W boson in association with two b jets in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 77, 2017, p.92 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 697 | Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s} = 8$ TeV using the α_T variable | печ. | Physics Letters B 767, 2017, p.403-430 | 28 | Khachtryan V. et al. (CMS Collaboration) |
| 698 | Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV | печ. | Journal of Instrumentation 12, 2017, p.02014 | 92 | Khachtryan V. et al. (CMS Collaboration) |
| 699 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 2, 2017, p.096 | 43 | Khachtryan V. et al. (CMS Collaboration) |
| 700 | Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 13$ TeV and combination with 8 TeV data | печ. | Physics Letters B 768, 2017, p.57-80 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 701 | Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC | печ. | Physics Letters B 768, 2017, p.103-129 | 27 | Khachtryan V. et al. (CMS Collaboration) |
| 702 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks | печ. | Physics Letters B 768, 2017, p.137-162 | 26 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 703 | Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7, 8,$ and 13 TeV | печ. | Journal of High Energy Physics 2, 2017, p.135 | 55 | Khachtryan V. et al. (CMS Collaboration) |
| 704 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $\sqrt{s} = 8$ TeV using $H \rightarrow WW$ decays | печ. | Journal of High Energy Physics 3, 2017, p.032 | 43 | Khachtryan V. et al. (CMS Collaboration) |
| 705 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 3, 2017, p.061 | 44 | Sirunyan A.M. et al. (CMS Collaboration) |
| 706 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 3, 2017, p.077 | 35 | Khachtryan V. et al. (CMS Collaboration) |
| 707 | Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 95, 2017, p.052002 | 33 | Khachtryan V. et al. (CMS Collaboration) |
| 708 | Measurement of the $t\bar{t}$ production cross section using events in the $e\mu$ final state in pp collisions at $\sqrt{s} = 13$ TeV | печ. | European Physical Journal C 77, 2017, p.172 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 709 | Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 3, 2017, p.101 | 34 | Khachtryan V. et al. (CMS Collaboration) |
| 710 | Observation of charge-dependent azimuthal correlations in p-Pb collisions and its implication for the search for the chiral magnetic effect | печ. | Physical Review Letters 118, 2017, p.122301 | 17 | Khachtryan V. et al. (CMS Collaboration) |
| 711 | Measurement and QCD analysis of double-differential inclusive jet cross-sections in pp collisions at $\sqrt{s} = 8$ TeV and ratios to 2.76 and 7 TeV | печ. | Journal of High Energy Physics 3, 2017, p.156 | 51 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|----|--|
| 712 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 3, 2017, p.162 | 55 | Sirunyan A.M. et al. (CMS Collaboration) |
| 713 | Search for electroweak production of charginos in final states with two τ leptons in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 4, 2017, p.018 | 48 | Khachtryan V. et al. (CMS Collaboration) |
| 714 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 4, 2017, p.022 | 69 | Khachtryan V. et al. (CMS Collaboration) |
| 715 | Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Journal of High Energy Physics 4, 2017, p.039 | 44 | Khachtryan V. et al. (CMS Collaboration) |
| 716 | Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV | печ. | Physics Letters B 769, 2017, p.391-412 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 717 | Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 7$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 77, 2017, p.236 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 718 | Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | European Physical Journal C 77, 2017, p.252 | 33 | Khachtryan V. et al. (CMS Collaboration) |
| 719 | Measurement of prompt and nonprompt J/ψ production in pp and pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | European Physical Journal C 77, 2017, p.269 | 27 | Sirunyan A.M. et al. (CMS Collaboration) |
| 720 | Relative modification of prompt $\psi(2S)$ and J/ψ yields from pp to PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physical Review Letters 118, 2017, p.162301 | 17 | Sirunyan A.M. et al. (CMS Collaboration) |
| 721 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states | печ. | Journal of High Energy Physics 4, 2017, p.136 | 35 | Sirunyan A.M. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 722 | Search for dijet resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models | печ. | Physics Letters B 769, 2017, p.520-542 | 23 | Sirunyan A.M. et al. (CMS Collaboration) |
| 723 | Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV | печ. | Physical Review D 95, 2017, p.092001 | 39 | Khachtryan V. et al. (CMS Collaboration) |
| 724 | Mechanical stability of the CMS strip tracker measured with a laser alignment system | печ. | Journal of Instrumentation 12, 2017, p.04023 | 38 | Sirunyan A.M. et al. (CMS Collaboration) |
| 725 | Observation of $\Upsilon(1S)$ pair production in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 5, 2017, p.013 | 33 | Khachtryan V. et al. (CMS Collaboration) |
| 726 | A search for new phenomena in pp collisions at $\sqrt{s} = 13$ TeV in final states with missing transverse momentum and at least one jet using the α_T variable | печ. | European Physical Journal C 77, 2017, p.294 | 38 | Khachtryan V. et al. (CMS Collaboration) |
| 727 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 5, 2017, p.029 | 36 | Sirunyan A.M. et al. (CMS Collaboration) |
| 728 | Measurement of the mass difference between top quark and antiquark in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 770, 2017, p.50-71 | 22 | Chatrchyan S. et al. (CMS Collaboration) |
| 729 | Search for new phenomena in events with high jet multiplicity and low missing transverse momentum in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 770, 2017, p.257-267 | 11 | Khachtryan V. et al. (CMS Collaboration) |
| 730 | Search for heavy gauge W' boson in events with an energetic lepton and large missing transverse momentum at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 770, 2017, p.278-301 | 24 | Khachtryan V. et al. (CMS Collaboration) |
| 731 | Suppression of $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ quarkonium states in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physics Letters B 770, 2017, p.357-379 | 23 | Khachtryan V. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|----|--|
| 732 | Searches for pair production for third-generation squarks in $\sqrt{s} = 13$ TeV pp collisions | печ. | European Physical Journal C 77, 2017, p.327 | 39 | Sirunyan A.M. et al. (CMS Collaboration) |
| 733 | Measurement of the cross section for electroweak production of $Z \gamma$ in association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 770, 2017, p.380-402 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 734 | Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state | печ. | Physics Letters B 771, 2017, p.80-105 | 26 | Khachtryan V. et al. (CMS Collaboration) |
| 735 | Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 77, 2017, p.354 | 25 | Sirunyan A.M. et al. (CMS Collaboration) |
| 736 | Measurement of the differential inclusive B^+ hadron cross sections in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 771, 2017, p.435-456 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 737 | Search for anomalous couplings in boosted $WW/WZ \rightarrow lvq\bar{q}$ production in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 772, 2017, p.21-42 | 22 | Sirunyan A.M. et al. (CMS Collaboration) |
| 738 | Measurement of electroweak-induced production of $W \gamma$ with two jets in pp collisions at $\sqrt{s} = 8$ TeV and constraints on anomalous quartic gauge couplings | печ. | Journal of High Energy Physics 6, 2017, p.106 | 41 | Khachtryan V. et al. (CMS Collaboration) |
| 739 | Search for $t\bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 7, 2017, p.001 | 46 | Sirunyan A.M. et al. (CMS Collaboration) |
| 740 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 7, 2017, p.003 | 42 | Sirunyan A.M. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 741 | Search for new physics with dijet angular distributions in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 7, 2017, p.013 | 35 | Khachtryan V. et al. (CMS Collaboration) |
| 742 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 7, 2017, p.014 | 49 | Sirunyan A.M. et al. (CMS Collaboration) |
| 743 | Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV and impact on parton distribution functions | печ. | European Physical Journal C 77, 2017, p.459 | 45 | Sirunyan A.M. et al. (CMS Collaboration) |
| 744 | Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 77, 2017, p.467 | 28 | Sirunyan A.M. et al. (CMS Collaboration) |
| 745 | Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physics Letters B 772, 2017, p.306-329 | 24 | Sirunyan A.M. et al. (CMS Collaboration) |
| 746 | Search for standard model production of four top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 772, 2017, p.336-358 | 23 | Sirunyan A.M. et al. (CMS Collaboration) |
| 747 | Search for high-mass $Z\gamma$ resonances at $\sqrt{s} = 8$ and 13 TeV using jet substructure techniques | печ. | Physics Letters B 772, 2017, p.363-387 | 25 | Sirunyan A.M. et al. (CMS Collaboration) |
| 748 | Coherent J/ψ photoproduction in ultra-peripheral PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the CMS experiment | печ. | Physics Letters B 772, 2017, p.489-511 | 23 | Khachtryan V. et al. (CMS Collaboration) |
| 749 | Measurement of inclusive jet cross-sections in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | печ. | Physical Review C 96, 2017, p.015202 | 20 | Khachtryan V. et al. (CMS Collaboration) |
| 750 | Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 772, 2017, p.634-656 | 23 | Sirunyan A.M. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|---|----|--|
| 751 | Search for supersymmetry in the all-hadronic final state using top quark tagging in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Physical Review D 96, 2017, p.012004 | 32 | Khachtryan V. et al. (CMS Collaboration) |
| 752 | Search for the third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 7, 2017, p.121 | 34 | Sirunyan A.M. et al. (CMS Collaboration) |
| 753 | Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 772, 2017, p.752-776 | 25 | Sirunyan A.M. et al. (CMS Collaboration) |
| 754 | Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physical Review C 96, 2017, p.014915 | 21 | Khachtryan V. et al. (CMS Collaboration) |
| 755 | Searches for W' bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV | печ. | Journal of High Energy Physics 8, 2017, p.029 | 41 | Sirunyan A.M. et al. (CMS Collaboration) |
| 756 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 8, 2017, p.046 | 30 | Sirunyan A.M. et al. (CMS Collaboration) |
| 757 | Search for top quark partners with charge 5/3 in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 8, 2017, p.073 | 42 | Sirunyan A.M. et al. (CMS Collaboration) |
| 758 | Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables M_{b1} , M_{T2} , and $M_{bl\nu}$ in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 96, 2017, p.032002 | 31 | Sirunyan A.M. et al. (CMS Collaboration) |
| 759 | Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV | печ. | Physical Review D 96, 2017, p.032003 | 38 | Sirunyan A.M. et al. (CMS Collaboration) |
| 760 | Study of jet quenching with Z+jet correlations in Pb-Pb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physical Review Letters 119, 2017, p.082301 | 18 | Sirunyan A.M. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 761 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | European Physical Journal C 77, 2017, p.578 | 31 | Sirunyan A.M. et al. (CMS Collaboration) |
| 762 | Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 9, 2017, p.051 | 39 | Sirunyan A.M. et al. (CMS Collaboration) |
| 763 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 9, 2017, p.053 | 41 | Sirunyan A.M. et al. (CMS Collaboration) |
| 764 | Search for low mass vector resonances decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physical Review Letters 119, 2017, p.111802 | 18 | Sirunyan A.M. et al. (CMS Collaboration) |
| 765 | Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | European Physical Journal C 77, 2017, p.635 | 29 | Khachtryan V. et al. (CMS Collaboration) |
| 766 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV | печ. | European Physical Journal C 77, 2017, p.636 | 24 | Sirunyan A.M. et al. (CMS Collaboration) |
| 767 | Search for leptophobic Z' bosons decaying into four-lepton final states in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physics Letters B 773, 2017, p.563-584 | 22 | Khachtryan V. et al. (CMS Collaboration) |
| 768 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 10, 2017, p.005 | 63 | Sirunyan A.M. et al. (CMS Collaboration) |
| 769 | Measurement of the semileptonic $t\bar{t} + \gamma$ production cross section in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 10, 2017, p.006 | 41 | Sirunyan A.M. et al. (CMS Collaboration) |
| 770 | Search for top squark pair production in pp collisions at $\sqrt{s} = 13$ TeV using single lepton events | печ. | Journal of High Energy Physics 10, 2017, p.019 | 40 | Sirunyan A.M. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 771 | Particle-flow reconstruction and global event description with the CMS detector | печ. | Journal of Instrumentation 12, 2017, p.10003 | 84 | Sirunyan A.M. et al. (CMS Collaboration) |
| 772 | Search for charged Higgs bosons produced in vector boson fusion processes and decaying into a pair of W and Z bosons using pp collisions at $\sqrt{s} = 13$ TeV | печ. | Physical Review Letters 119, 2017, p.141802 | 18 | Sirunyan A.M. et al. (CMS Collaboration) |
| 773 | Search for supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV in the single-lepton final state using the sum of masses of large-radius jets | печ. | Physical Review Letters 119, 2017, p.151802 | 18 | Sirunyan A.M. et al. (CMS Collaboration) |
| 774 | Measurement of the B^\pm meson nuclear modification factor in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | печ. | Physical Review Letters 119, 2017, p.152301 | 17 | Sirunyan A.M. et al. (CMS Collaboration) |
| 775 | Search for black holes and other new phenomena in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 774, 2017, p.279-307 | 29 | Sirunyan A.M. et al. (CMS Collaboration) |
| 776 | Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV | печ. | Physics Letters B 774, 2017, p.533-558 | 26 | Sirunyan A.M. et al. (CMS Collaboration) |
| 776 | Measurements of the $pp \rightarrow W\gamma\gamma$ and $pp \rightarrow Z\gamma\gamma$ cross sections and limits on anomalous quartic gauge couplings at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 10, 2017, p.072 | 35 | Sirunyan A.M. et al. (CMS Collaboration) |
| 778 | Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 10, 2017, p.073 | 37 | Sirunyan A.M. et al. (CMS Collaboration) |
| 779 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 10, 2017, p.076 | 52 | Khachtryan V. et al. (CMS Collaboration) |
| 780 | Measurements of jet charge with dijet events in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 10, 2017, p.131 | 41 | Sirunyan A.M. et al. (CMS Collaboration) |
| 781 | Search for Higgs boson pair production in the $bb\tau\tau$ final state in proton-proton collisions at $\sqrt{s} = 8$ TeV | печ. | Physical Review D 96, 2017, p.072004 | 25 | Sirunyan A.M. et al. (CMS Collaboration) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|---|------|---|----|--|
| 782 | Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physical Review D 96, 2017, p.072005 | 25 | Sirunyan A.M. et al. (CMS Collaboration) |
| 783 | Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | European Physical Journal C 77, 2017, p.710 | 34 | Sirunyan A.M. et al. (CMS Collaboration) |
| 784 | HYDJET++ model as a hot mixture of jets and hydrodynamics at ultra-relativistic heavy-ion collisions | печ. | Nuclear and Particle Physics Proceedings 289, 2017, p.381 | 4 | Petrushanko S.V., Alkin A.A., Belyaev A.V, Bravina L.V., Eyyubova G.Kh, Korotkikh V.L., Malinina L.V., Nazarova E.N., Ponimatkin G., Pronina E.Yu., Snigirev A.M., Zabrodin E.E. |
| 785 | Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 774, 2017, p.682-705 | 24 | Sirunyan A.M. et al. (CMS Collaboration) |
| 786 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s} = 8$ TeV | печ. | Journal of High Energy Physics 11, 2017, p.010 | 34 | Sirunyan A.M. et al. (CMS Collaboration) |
| 787 | Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV and constraints on parton distribution functions | печ. | European Physical Journal C 77, 2017, p.746 | 29 | Sirunyan A.M. et al. (CMS Collaboration) |
| 788 | Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8$ TeV | печ. | European Physical Journal C 77, 2017, p.751 | 34 | Khachtryan V. et al. (CMS Collaboration) |
| 789 | Dynamical vs geometric anisotropy in relativistic heavy-ion collisions: Which one prevails? | печ. | European Physical Journal A 53, 2017, p.219 | 9 | Bravina L.V., Malinina L.V., Petrushanko S.V., Snigirev A.M., Zabrodin E.E. |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-----|--|------|--|----|--|
| 790 | Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\gamma\gamma$ at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 10, 2017, p.180 | 47 | Sirunyan A.M. et al. (CMS Collaboration) |
| 791 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 11, 2017, p.047 | 54 | Sirunyan A.M. et al. (CMS Collaboration) |
| 792 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure at $\sqrt{s} = 13$ TeV | печ. | Journal of High Energy Physics 11, 2017, p.085 | 47 | Sirunyan A.M. et al. (CMS Collaboration) |
| 793 | Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $\sqrt{s} = 13$ TeV | печ. | Physics Letters B 775, 2017, p.315-337 | 23 | Sirunyan A.M. et al. (CMS Collaboration) |